

HALF YEARLY COMPLIANCE REPORT FOR GRANITE BUILDING STONE QUARRY

**Proposal No. SIA/KL/MIN/148361/2020, File No. 1641/EC3/2020/SEIAA
E.C. No.62/Q/2022 dtd.20/07/2022**

Granite Building Stone Quarry Project of M/s Seas Rock Products

Situated At

**Re-Sy. No. 426/3, 426/4 & 426/5
at Neyyassery Village,
Thodupuzha Taluk,
Idukki District, Keralam
For an area of 1.5163 Ha**

October 2025 – March 2026

Prepared By

PRIME TECHNOLOGY SERVICES
4D Kalpaka Fort Palace, Changampuzha Park,
Edappaly, Kochi-24
Mail: primetechnologyservices@gmail.com
Ph: 8089085335

To,


The Director MoEF&CC,
Regional Office (South Zone), KendriyaSadan,
IVthfloor, E&F Wing ,17th main Road,
Second Block,Koramangala Bangalore .

Respected Sir,

Sub: Half Yearly Compliance Report of Granite Building Stone Quarry Project -for the period of
October 2025 to March 2026
Ref : Proposal No. SIA/KL/MIN/148361/2020, File No. 1641/EC3/2020/SEIAA,
E.C. No.62/Q/2022 dtd. 20/07/2022

With reference to the above we are submitting Half Yearly Compliance report for the EC order,
mentioned above. Also enclosed here, copy of consent to Establish from Kerala SPCB, and
Compliance Monitoring report of the last season.

Place: Idukki
Date: 27-05-2026



Anshad E.P
Managing Partner
M/s Seas Rock Products
Building No. KPV/88A,
Mulappuram P.O., Karimannoor,
Idukki -685581

Copy to,

**Member Secretary / Chairman
SEIAA Kerala
KSRTC Complex, Thampanoor
Thiruvananthapuram, Keralam**

INDEX

Sl.No	Particulars
1	Introduction
2	Specific Conditions
3	General Conditions
4	Annexures

LIST OF ANNEXURES

Annexure No	Specifications
1	Environmental Clearance
2	Quarrying Lease
3	Explosive License
4	Panchayat License
5	Consent from KSPCB
6	Mines Manager Certificate
7	Vibration Monitoring Report
8	Non-El Purchase Bill
9	Air Quality monitoring Report
10	Noise level Monitoring Report
11	Ground Water Quality Report
12	PUC Certificates of Vehicles
13	Affidavit on EC Conditions
14	EMC meeting Minutes
15	CSR Proofs

1.INTRODUCTION

The Building Stone Quarry Project situated at Re-Sy. No. Re-Sy No 426/3, 426/4, 426/5 of Neyyassery Village, Thodupuzha Taluk, Idukki District, Kerala, for an area of 1.5163 Ha in respect of Mr. Anshad E.P, Managing Partner of M/s Seas Rock Products.

Granite Building Stone Quarry project of Mr. Anshad E.P was obtained with the Environmental Clearance (E.C. No.62/Q/2022) by State Environmental Impact Assessment Authority on 20/07/2022. As part of General Condition No.48 of Environmental Clearance order and EIA Notification the half yearly compliance report needs to be submitted by the project proponent.


This report contains the compliance of conditions of Environmental Clearance for the period of October 2025 –March 2026.

COMPLIANCE TO THE CONDITION STIPULATED IN THE ENVIRONMENTAL CLEARANCE ISSUED BY STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY, KERALA.

2. SPECIFIC CONDITIONS

Table 2. SPECIFIC CONDITIONS


Sl.No	Specific Conditions	Compliance Status
S-1	The proponent shall carry out quarrying as per the approved Mining Plan and the proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.	We assure that all the quarrying activities will be carried out as per the Approved Mining Plan and strictly follows all the Kerala Minor Concession Rules 2015 and amendments thereby.
S-2	The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the lease order should be provided to the SEIAA before commencing the mining activity.	Noted. We will extent all possible cooperation to the officers from SEIAA and will produce all data/information/reports when they are asking for.
S-3	Measures incorporated in the CER should be implemented in total during the first two years and it should be operated and maintained during the subsequent years till the mine closure plan is implemented in total.	We have already contributed an amount of Rs. 3,14,125/- towards Corporate Social Commitment activities in Karimannoor during the period from 2023 to 2025 for various community welfare initiatives. We assure you that CER/CSR activities are being carried out in a timely manner as stipulated in the Environmental Clearance (EC). Details and supporting documents of the CSR/CER activities are enclosed as Annexure No. 15
S-4	The garland drain and outflow channel should be provided with intermittent silt traps	We have constructed garland drains, desiltation ponds in the lower slopes of the project area for effective management of storm water.



S-5

The garland drain along with silt traps, siltation ponds and outflow channel should be desilted periodically to avoid obstruction of overland flow and geotagged photo of the same should be uploaded in the Half Yearly Compliance Report (HYCR).

Garland drains with silt traps have been constructed along the mining area to collect and channel surface runoff into desiltation tanks and check dams before discharge into the natural drainage system. Periodic desilting and cleaning are carried out during operational days to ensure uninterrupted flow and prevent silt accumulation. Care has been taken not to disturb the existing drainage pattern in adjacent properties. Photographs of the garland canals & desiltation tank is attached herewith.



S-6

The Green belt development in the buffer should be done in the first year of the project itself and it should be nurtured and maintained in subsequent years.

Green belt development in the buffer zone was initiated during the first year of the project. The planted saplings are being regularly nurtured, monitored, and maintained to ensure healthy growth and survival in the subsequent years. Photographs of the green belt development are attached.



S-7

As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the project Proponent shall prepare an Environment Management Plan (EMP) as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, indicating both physical and financial targets

The CER activities are being implemented in consultation with the local self-government institution. We have already contributed an amount of Rs. 3,14,125/- towards Corporate Social Commitment activities in Karimannoor during the period from 2023 to 2025 for various community welfare initiatives such

	<p>year wise. The EMP shall be implemented in consultation with local self Govt. Institutions. The indicated cost for CER shall be 2% of the project cost depending upon the nature of activities proposed. The follow up action on implementation of CER shall be included in the Half Yearly Compliance Report which will be subjected to field inspection at regular intervals. A copy of the approved EMP shall be made available to the concerned Panchayat for information and implementation support.</p>	<p>as promotion of education, healthcare, and charitable activities. Further CER activities will be implemented in a time-bound manner. Details and supporting documents of the CSR/CER activities are enclosed as Annexure No. 15.</p>
S-8	<p>In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife.</p>	<p>NONEL technology is being used for all blasting operations, and vibration levels are maintained well within the DGMS permissible limit of 15 mm/sec. We assures that only NONEL technology will be used for all future blasting operations, and continuous monitoring will be undertaken to ensure compliance with DGMS vibration limits so as to avoid any calamities / damages. Purchase bill of NONEL is attached as Annexure 8.</p>
S-9	<p>As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16th January 2020 issued by MoEF & CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re- grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.</p>	<p>Noted for compliance and we will scrupulously follow the directions contained. The reclamation will be started gradually and the benches will be reclaimed with planation, flora, fauna etc. We assure that, as a compensation of loss of trees in the core area we will plant atleast 5 times of the loss of trees that has occurred and follow planting measures suggested by SEAC. We will be Properly upkeep and maintain planted seedlings.</p>
S-10	<p>The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986.</p>	<p>Noted for compliance. We will give priority to the conditions stipulated in the Environmental Clearance Order during execution. All possible measures are being implemented at the project site for the conservation and protection of the environment. The conditions prescribed by SEIAA are being strictly followed, and all operations are carried out in accordance with the Environment (Protection) Act, 1986 and other applicable regulations.</p>

3.GENERAL CONDITIONS

Table 3. GENERAL CONDITIONS

Sl. No	General Conditions	Compliance Status
G-1	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	We have submitted a notarized affidavit indicating the number and date of the Environmental Clearance proceedings, affirming that all the conditions stipulated in the Environmental Clearance will be strictly complied with. A copy of the affidavit is enclosed as Annexure No. 13 for reference.
G-2	All the statutory clearances should be obtained, as applicable, by the project proponent from the respective competent authorities including that for blasting and storage of explosives. Copies of all statutory clearances shall be submitted along with First Half Yearly Compliance Report.	We have obtained the following statutory clearances and approvals, and copies of all are attached as annexures: <ul style="list-style-type: none"> • Environmental Clearance from SEIAA • Quarrying Lease • Consent from Kerala State Pollution Control Board • License from the Explosives Department • D&O License from the Local Self-Government Department (LSGD)"
G-3	The project proponent should advertise in newspapers that the project has been accorded Environmental Clearance and copies of clearance letters are available in the Office of State Environment Impact Assessment Authority (SEIAA) and on the website of the Authority at www.seiaakerala.in . The advertisement should be in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language. The advertisement should be made within 10 days from the date of receipt of the Environmental Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	The project was advertised in two widely circulated local newspapers ie The Hindu(English daily) & Madhyamam (Malayalam daily) on 12/08/2022 Photos of the same attached herewith.

G-6	<p>The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters.</p>	<p>A display board showing all details of the project and the Environmental Clearance has been installed at the entrance of the quarry site, as specified in the Environmental Clearance. A photograph are attached for reference</p>
-----	--	---



G-7	<p>Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department. Mats to reduce fly rock blasts to a maximum of 10 PPV should be provided.</p>	<p>Explosives are stored in magazines located in isolated areas as specified and approved by the Explosives Department. Mats have been provided to ensure that fly rock from blasts does not exceed a maximum of 10 mm/s PPV. Photographs of the explosives magazine and the mats provided to reduce fly rocks are attached herewith</p>
-----	--	--




G-8	<p>Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged stipulated by Explosive Department.</p>	<p>As per the stipulations of the Explosives Department, we have installed a siren as a warning alarm at the quarry site. The siren is sounded before blasting to warn workers and the public. Blasting timings are also displayed prominently on a caution board at the site. Photographs of the caution board displaying</p>
-----	---	--

		blasting timings are attached herewith
--	--	--



G-9	Access roads to the quarry shall be black topped to contain dust emissions that may arise during transportation of materials. The transportation of minerals should be done in covered trucks to contain dust emissions	The main approach roads to the quarry site are blacktopped and properly maintained to reduce dust emissions. In addition, materials are transported only in covered trucks and tippers, ensuring effective control of dust during transportation.
-----	---	---



G10

A separate Environmental Management Cell (EMC) with suitable qualified personnel should be set-up under the chairmanship of a Senior Executive, who will report directly to the Head of the Organization. The Cell should have representative of Biodiversity Management Committee of the Panchayath and a representative of NGO, if any active in the area. The EMC should meet at least once in six months and review the activities and minutes should be a part of the compliance report.

The project proponent has constituted an Environmental Management Cell (EMC) for effective implementation of environmental safeguards and statutory requirements. The EMC includes a subject expert in environmental management to ensure proper monitoring and compliance. The EMC meeting minutes are attached as Annexure 14. The details of the monitoring cell are provided below

Environmental Management Cell (EMC)

SI No	Name	Designation
1	Anshad E P	Head of the cell(Proprietor)
2	Anand N	Mines Manager
3	Eby Mathai	Supervisor
4	Arunkumar R.	Subject Expert-Environmental Consultancy
5	M/s Standards Laboratory	Environmental Monitoring Agency


G-11	Quarrying has to be carried out as per approved mining plan with the suggestions from SEAC incorporated and following KMMC rules 2015 and the Amendments thereby.	Quarrying operations are being carried out strictly as per the approved Mining Plan, incorporating the suggestions and recommendations of SEAC. All activities are in compliance with the Kerala Minor Mineral Concession (KMMC) Rules, 2015 and its amendments.
------	---	--

G-12	The quarrying operation shall be restricted between 7 AM and 5PM	We will scrupulously follows the directions contained. Quarrying operations are strictly carried out only between 7:00 AM and 5:00 PM.
------	--	--

G-13	Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	We have constructed rain water harvesting pond of in the project area to collect rain water and utilize in the project area itself for dust suppression and green belt development. We installed solar street lights in the respective quarry site
------	--	--



RWH Pond



Solar Light

G-14	Maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The maximum depth of mining should not be deeper than the local ground water table. No mining operations should be carried out at places having a slope greater than 45 °	We assure that, the maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The maximum depth of mining shall not be deeper than the local ground water table. No mining operations shall not be carried out at places having a slope greater than 45°
------	---	--



G-15	The height of any bench shall not exceed five meters and breadth shall not be less than the height.	The quarrying activities will be progressing only by creating benches of 5m width and 5m height. The formation of benches is under the direction and supervision of competent person
------	---	--



G-16	The Project proponent shall ensure that no perennial or intermittent natural water course and/or water resources are obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	We assure that, we will ensure that no perennial or intermittent natural water course or water resources are obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken
------	--	---

G-17	A minimum buffer distance specified as per existing rules and statutory orders shall be maintained from the boundary of the quarry to the nearest dwelling unit or other structures, and from forest boundaries or any other ecologically sensitive and archeologically important areas or the specific distance specified by SEIAA in EC as per the recommendations of SEAC depending on specific local conditions.	A minimum buffer distance is being maintained from the quarry boundary to the nearest dwelling units & structures, and strictly in line with the statutory rules and the conditions specified in the Environmental Clearance. There is no forest boundaries, ecologically sensitive and archeologically important areas near the quarry
------	--	---



G-18	The proponent should plant seedlings at least 5 times of the loss of trees that has occurred while clearing the land for the project and follow planting measures as suggested by SEAC. Suitable avenue trees should be planted along the sides of the approach road and internal roads and open parking areas, if any. Preference should be given to endemic native and fruit bearing species. Planting in buffer areas should be taken up beforehand. Proper upkeep and maintenance of planted seedlings shall be ensured by the project proponent.	We have undertaken compensatory afforestation by planting around 200 saplings, which is at least five times the number of trees removed during land clearing, as suggested by SEAC. Preference has been given to endemic native and fruit-bearing species. Avenue plantation has been carried out along the approach road, internal roads, and other suitable areas within the project site. Plantation in the buffer zone has also been taken up in advance. Proper upkeep, watering, monitoring, and maintenance of the planted saplings are being ensured by the Project Proponent to achieve healthy growth and survival.
------	---	---

G-19	<p>The proponent should ensure that the vegetation in the buffer is retained, maintained and strengthened with additions of native broad leaved plants.</p>	<p>The existing vegetation in the buffer zone is being retained and maintained without any disturbance. To further strengthen the green cover, native broad-leaved plant species are being progressively added through plantation programs. Regular care and maintenance are ensured to promote healthy growth and ecological stability in the buffer area</p>
		
G-20	<p>Eco-restoration including the closure of mine as per the progressive closure plan and final closure plan shall be done at the cost of the project proponent. This eco-restoration should follow scientific standards available for restoration, full recovery of the original vegetation and improving the resilience of different ecosystems. Overburden materials should be managed within the site and used for reclamation of mined pit as per mine closure plan/ specific conditions.</p>	<p>Eco-restoration of the quarry area will be undertaken in line with the Progressive Mine Closure Plan and Final Mine Closure Plan, entirely at the cost of the project proponent. The restoration will follow scientific standards and best practices, aiming at reclamation of mined pits using overburden material generated within the site, progressive backfilling and land contouring to restore the landscape, soil enrichment and plantation with suitable native species to ensure full recovery of vegetation, and enhancing ecosystem resilience through biodiversity-friendly planting and stabilization measures. The process will be carried out in a phased and systematic manner to ensure that the post-mining landform is safe, stable, and capable of supporting agriculture, forestry, and ecological functions.</p>
G-21	<p>At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with suitable indigenous plant species, if no other specific condition on reclamation of pit is stipulated in the E.C. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.</p>	<p>In line with sustainable practices, a Rainwater Harvesting (RWH) pond has been developed within the lease area to serve as a permanent water storage facility.</p> <p>The balance excavated areas, upon completion of quarrying, will be progressively reclaimed through backfilling with overburden and topsoil, land contouring, and plantation with suitable indigenous species. Monitoring and maintenance of the rehabilitated areas will</p>

		continue until vegetation becomes self-sustaining, ensuring ecological stability and long-term land usability
G-22	Control measures on noise and vibration prescribed by KSPCB should be implemented. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.	Limited the operation of quarry in specific time only as directed by the KSPCB and has been following the directions and complying them. The following control measures are undertaken to bring down the noise levels: - Proper maintenance of machinery equipment's and improvement of design of machines. Personal protective Devices i.e, earmuffs, helmet, and boots etc. are provided to workers. The mining activities is only during Day time. Noise level at the quarry site should be checked periodically, monitored through a NABL accredited laboratory during the quarry in operation and the monitored results are attached
G-23	Periodical monitoring of the vibration at specified location (preferably at a distance of 50 m and 100 m) to be conducted and records kept for inspection. This could also form a part of the compliance reports.	We are using NONEL blasting technology to reduce ground vibrations, as recommended by the Department of Mining and Geology (DMG) and SEIAA. Controlled blasting techniques are adopted to ensure that PPV values remain within 10 mm/sec. Periodic vibration monitoring is conducted at specified locations, preferably at distances of 50 m and 100 m, and records are maintained for inspection. The vibration monitoring report is attached as Annexure 07.
G-24	Speed of trucks entering or leaving the mine site is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.	We assure that we will be maintained the speed of our trucks limited as per the prescribed standards to prevent undue noise from empty trucks
G-25	Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standard limit indicated by CPCB/KSPCB.	There is no crusher unit in the project site. The vegetation around the project area act as an acoustic enclosure which reduces sound amplifications. This helps the noise level kept within prescribed standards. To assure this, the project have monitored the noise level periodically by a NABL accredited laboratory. Lab reports of the same attached as Annexure :10
G-26	Blasting should be done in a controlled manner using NONEL technique as specified by the regulations of Petroleum and explosive safety organization (GOI) or any other concerned authorized agency. A licensed person should supervise/ control the blasting operations.	Blasting operations at the quarry are being carried out in a controlled manner using NONEL (Non-Electronic Detonator) technique, in line with the regulations prescribed by the Petroleum and Explosives Safety Organisation (PESO),


		Government of India, and other applicable statutory authorities. Purchase proof of the Nonel Technology has attached as Annexure 8. A duly qualified Mines Manager, licensed and appointed as per the Mines Act and DGMS regulations, supervises and controls all blasting activities to ensure safety, compliance, and minimal environmental impact. Certificate of Mines Manager is attached as Annexure No.6
G-27	Measures should be taken for maintaining noise levels below 85 dBA in the work environment.	We take appropriate steps to reduce the sound by employing possible measures. Measurements of noise levels are taken in the work environment. Noise Monitoring Lab results are attached as Annexure No.10
G-28	Project proponent should obtain necessary prior permission of the competent authorities for drawing requisite quantity of surface water and ground water for the project.	Scrupulously follows the directions contained
G-29	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly compliance reports to SEIAA.	There are no streams, rivers, springs, or perennial nallahs flowing within or around the mine lease area.
G-30	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps, to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, and for green belt development etc. The drains shall be regularly desilted and maintained properly, particularly after monsoon.	Garland drains with silt traps were suitably constructed all along the periphery of the pit area, to collect the run-off from the quarry area and divert into the storm water pond/tanks proposed within the complex. <ul style="list-style-type: none"> • Appropriate channelization of storm water with channels of sufficient width. All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. De-siltation traps and storm water collection ponds are constructed for silt removal. The storm water collected from the quarry area will be utilized for dust suppression on haul roads, plantation within the premises, etc. Construction of check dams and collecting channel all around at the foot of the hill to prevent soil erosion during the monsoon season and also to collect the storm water for various use within the quarry area.

G-31	Regular monitoring of ground water level and quality shall be carried out around the mine area during mining operation. If any stage , if it is observed that ground water table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.	We assure that, we will be carried out regular monitoring of ground water level and its quality around the mine area during mining operation. The report of water quality will be given to the SEIAA in every six months and are enclosed as Annexure 11.
G-32	Garland drains and silt traps are to be provided in the slopes around the core area to channelize storm water. De-silting of Garland canal and silt traps have to be attended on a daily basis. A labour has to be specifically assigned for the purpose. The proponent shall ensure the quality of the discharging storm water as per the General Effluent Discharge Standards of CPCB.	We are very conscious to prevent all quarry waste to enter in the public drainage or stream. Garland drains with silt traps were suitably constructed all along the periphery of the pit area, to collect the run-off from the quarry area and divert into the storm water pond/tanks proposed within the complex. <ul style="list-style-type: none"> • Appropriate channelization of storm water with channels of sufficient width. • All measures will be taken not to disturb the existing drainage pattern adjacent to the other property. • De-siltation traps and storm water collection pond were constructed for silt removal. • The storm water collected from the quarry area will be utilized for dust suppression on haul roads, plantation within the premises, etc. Construction of check dams and collecting channel all around at the foot of the hill to prevent soil erosion during the monsoon season and also to collect the storm water for various use within the quarry area. <ul style="list-style-type: none"> • Blast residues from explosives will be managed by ensuring that all material is ignited during the blasting process.
G-33	In the case of any change(s) in the scope of the project, extent, quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which the E.C was issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority. In the case of transfer of ECs, the matter shall be intimated and get the approval from the Authority as per the existing norms.	The firm shall abide by the directions of SEIAA Kerala. The project is progressing as per the plan submitted in approved mining plan and as per Environmental Management Plan. The project will seek for a new Environmental clearance in the case of any changes in the scope of the project.
G-34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the	We will complied with the stipulations by statutory authorities under different acts and notifications including the provision of Water (Prevention and Control of Pollution) Act1974,

	Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	the Air (Prevention and Control of Pollution) Act 1981, the Environment Protection Act ,1986, The Public Liability(Insurance)Act ,1991 and EIA Notification,2006
G-35	The top soil, if any, shall be temporarily stored at earmarked place (s) and used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained at 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. At critical points, use of geo textile shall be undertaken for stabilization of the dump. Protective wall or gabions should be made around the dump to prevent erosion / flow of sediments during rains. The entire excavated area shall be backfilled.	The temporarily stored topsoil used only for land reclamation and plantation. It is ensured that the dump site where over burdens are stored should maintained at 45°of slope. To prevent the soil erosion, the top soil and overburden are stacked in designated place within the project site. Topsoil will be used for plantation. Overburden will be used for landfill and to construct haulage roads in the mining area. The excess will be stored in a designated place as per the direction
		 <p style="text-align: center;">OB Dump</p>
G-36	All the mining equipment used in Mining like backhoe loaders and excavators cause pollution and hence shall be serviced regularly & maintained for their efficient functioning and for reducing pollution. Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.	We assure that the mining equipment used for mining operations, such as backhoe loaders and excavators, are being serviced regularly and properly maintained for efficient functioning and reduction of pollution. Spent oil generated from the machinery is being safely stored at the site and subsequently handed over to authorized recyclers for disposal.
G-37	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking centre. Washing of all vehicles shall be inside the lease area. .	The vehicles used within mines have PUC certificate. As part of reduce air pollution, regular monitoring of vehicle emissions is being carried out through authorized pollution testing centers. Copies of the PUC certificates are enclosed as Annexure 12.

G-38 Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution such as haul road, loading and unloading points and transfer points and having high levels of PM10 and PM2.5. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board.

Effective safeguard measures were adopted in critical areas that are prone to air pollution. Also we placed water sprinklers in critical area to reduce the dust emission. Ambient Air Quality monitoring done according to the norms of CPCB is followed in loading – unloading points and transfer points. Ambient Air Quality Monitoring done by NABL accredited Laboratory is attached as annexure No.9



G-39 Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement at project site, parking area, on haul roads, loading and unloading and at transport points should be provided and properly maintained.

Fugitive dust emissions from all sources are being controlled regularly. Water spraying arrangements have been provided and are being properly maintained at the project site, parking areas, haul roads, loading and unloading points, and transfer points through fixed sprinklers, mobile water sprinkling

tanks, and line sprinklers.



G-40

Corporate Environmental Responsibilities (CER) as prescribed by SEIAA/SEAC should be carried out leading to Environmental stability of the Project region. The activities carried out under CER should be a part of the half yearly compliance report. The certificates from the beneficiaries, if the CER part is completed should also be submitted to the State Environment Impact Assessment Authority (SEIAA) along with year wise expenditure.

Noted for compliance and we will scrupulously follows the directions contained. The respective project site started working for CER from May 2023 onwards. So, we assure that, the activities proposed for CER will be implemented in a time bound manner and implementation of the same along with documentary proof provided as Annexure No.15

G-41

The project proponent is responsible for implementing all the provisions of labour laws applicable from time to time to quarrying /Mining operations. The workers on the site should be provided with on-site accommodation or facilities at a suitable boarding place, protective equipment such as ear muffs, helmet, etc.

The Project Proponent is scrupulously complying with all applicable labour laws and directions related to quarrying/mining operations. Workers at the site are provided with suitable accommodation/boarding facilities and necessary personal protective equipment such as helmets, ear muffs, safety shoes, gloves, and other safety gear. All statutory provisions related to labour welfare and safety are being implemented from time to time. Photographs of the facilities provided to workers are attached for reference.



Toilet



Drinking Water Room



First Aid Room



Resting Place

G-42	<p>The proponent has to provide insurance protection to the workers in the case of existing mining or provide the affidavit in case of fresh lease before execution of mining lease.</p>	<p>Scrupulously follows all the directions contained</p>
G-43	<p>Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The report of health surveillance programme should be included in the half yearly compliance reports.</p>	<p>Periodic occupational health surveillance programmes are being conducted for workers to monitor any health impacts arising from exposure to dust and other mining-related activities. Necessary corrective and preventive measures are being taken based on the health assessment results, wherever required.</p>
G-44	<p>The pits in the abandoned quarries and in the mined area shall be used for activities like water harvesting, aqua culture etc. in an eco friendly manner.</p>	<p>Noted</p>
G-45	<p>If Government land is partly or fully used for mining, the area shall be returned at the end of lease period after mine closure with separate demarcation with suitable survey marks.</p>	<p>The land is private owned land</p>
G-46	<p>Any accident occurring in the mined out area after the lease period due to negligence in carrying out safety measures and non-closure, will lead to suspension of all EC obtained for mining by the Proponent.</p>	<p>Noted</p>
G-47	<p>In case of transfer of EC the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.</p>	<p>We will intimate the Authority and obtain approval in accordance with existing norms in the event of any transfer of the Environmental Clearance</p>

G-48	The proponent shall submit Half Yearly Compliance Reports (1st of June & 1st of December) on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall be simultaneously sent to the respective Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India and also to the Office of State Environment Impact Assessment Authority (SEIAA). The proponent has to submit Environmental statement in form V of Environment (Protection) Rules 1986 to SPCB on 31st March every year.	The compliance report is being submitted along with the results of monitored data to the State Environmental Impact Assessment Authority, Kerala and the Regional Office of MoEF&CC, Bangalore both as e mail.
G-49	The project authorities should extend full cooperation to the officer (s) from the Regional Office of MOEF & CC located at Bangalore/SEAC/SPCB/CPCB/dept of Mining and Geology, while monitoring compliance of the stipulated conditions, by furnishing the requisite data/information/monitoring reports.	We will extend all possible cooperation to the officers from regional office of MoEF & CC and can produce all data/information/reports when they are asking for
G-50	The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.	We will give priority to the conditions stipulated in the Environment Clearance Order for execution.
G-51	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environment Clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	The Firm shall abide by the directions of SEIAA Kerala
G-52	The EC given will be withdrawn at any time if the area is declared high hazardous by the SDMA.	Proponent is aware of the condition.
G-53	The Environmental Clearance will be subject to the final order of the courts on any pending litigation related to the land or project, in any court of law.	There is no pending litigation related to the land or project in any court of law
G-54	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	We confirm that no appeal has been filed against this Environmental Clearance for this project.


ANNEXURES

ANNEXURE 01
Environmental Clearance

ENVIRONMENTAL
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Kerala)

To,

The Managing Partner
GRANITE BUILDING STONE QUARRY OF M/S SEAS ROCK
PRODUCTS
Reg.No-45556/2016, Building No-KPV/88A, Mulappuram P.O,
Karimannoor, Idukki -685581

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/KL/MIN/148361/2020 dated 12 May 2020. The particulars of the environmental
clearance granted to the project are as below.

- | | |
|---|--|
| 1. EC Identification No. | EC22B001KL110134 |
| 2. File No. | 1641/EC3/2020/SEIAA |
| 3. Project Type | New |
| 4. Category | B2 |
| 5. Project/Activity including
Schedule No. | 1(a) Mining of minerals |
| 6. Name of Project | Granite Building Stone Quarry of M/s
Seas Rock Products |
| 7. Name of Company/Organization | GRANITE BUILDING STONE QUARRY
OF M/S SEAS ROCK PRODUCTS |
| 8. Location of Project | Kerala |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 20/07/2022

(e-signed)
Dr. Venu V IAS
Member Secretary
SEIAA - (Kerala)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.



सत्यमेव जयते

**PROCEEDINGS OF THE
STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY – KERALA, THIRUVANANTHAPURAM**

*(Present : Dr.H.Nagesh Prabhu IFS (Retd), Chairman, Shri. K. Krishna Panicker,
Member, Dr.V.Venu IAS, Member Secretary)*

Sub: SEIAA - Environmental Clearance for Granite Building Stone Quarry Project of Sri. Anshad E.P, M/s Seas Rock Products for an area of 1.5163 Ha in Re-Sy No 426/3, 426/4, 426/5 in Neyyassery Village, Thodupuzha Taluk, Idukki District, Kerala State - Granted – Orders issued.

**State Level Environment Impact Assessment Authority,
Kerala**

Proposal No. SIA/KL/MIN/148361/2020

File No. 1641/EC3/2020/SEIAA

- Ref:1. Application received on 13/03/2020 from Sri. Sri. Anshad E.P.
2. Minutes of the 127th SEAC meeting 28th to 30th April, 2022.
3. Minutes of the 114th SEIAA meeting held on 25th, 26th May, and 1st June, 2022.
4. G.O (Rt.) No.29/2019/Env dt.12.04.2019.

ENVIRONMENTAL CLEARANCE NO. 62/Q/2022

Sri. Anshad E.P, Managing Partner of M/s Seas Rock Products, Building No. KPV/88A, Mulappuram P.O. Karimannoor, Idukki District-685581, submitted an application for Environmental Clearance *via* PARIVESH on 13/03/2020 for the Granite Building Stone Quarry Project for an area of 1.5163 Ha. in Re-Survey No 426/3, 426/4, 426/5 in Neyyassery Village, Thodupuzha Taluk, Idukki District, Kerala. The project details are as follows:

SL. No.	Particulars	Details
1	Name of the Project	Granite Building Stone Quarry Project of Sri. Anshad E.P
2	Proposed Activity	Mining of Granite Building Stone
3	Name of the Sector & Schedule No. (in the EIA Notification, 2006)	Non Coal mining, Activity 1(a), Category B2
4	Name & Address of the Project Proponent	Sri. Anshad E.P, Managing Partner of M/s Seas Rock Products, Building No. KPV/88A, Mulappuram P.O., Karimannoor, Idukki -685581
5	Project Location	
	a) Re-Survey Nos:	426/3,426/4,426/5
	b) Revenue Village	Neyyassery
	c) Panchayat	Karimannoor
	d) Taluk	Thodupuzha Taluk
	e) District	Idukki
6	Geo Co-ordinates	Latitude 9°55'42.10"N to 9°55'47.52"N Longitude 76°47'50.51"E to 76°47'56.18"E.
7	Extent (in Acre/Hectare)	1.5163 Ha.
8	Project Cost	₹ 1,75,00,000/-
9	Production Details	77718 MTA (As per approved Mining Plan)
10	Water Requirement	5KLD (1KLD for drinking water & domestic consumption, 2KLD for dust suppression and 2KLD for green belt development).
11	Power Requirement	2 KW/day
	Source	KSEB
12	Field Inspection Details	Date of Field Inspection: 12.04. 2021

13	Cost of CER /EMP	Sl. No.	EMP with Monitoring Components	Capital Cost	Annual recurring cost
		1.	Air pollution Control	2,00,000/-	25,000/-
		2.	Water Pollution Control	3,00,000/-	25,000/-
		3.	Green belt development	4,00,000/-	30,000/-
		4.	Environmental Parameters Monitoring	-	20,000/-
		5.	Solid Waste Management & Domestic effluent management	2,50,000/-	20,000/-
		6.	Quarry Approach Road Construction & Maintenance	4,00,000/-	50,000/-
		7.	Biodiversity Assessment	25,000/-	-
		8.	Fire fighting equipments	1,00,000/-	
		9.	Occupational Health and safety	1,00,000/-	20,000/-
		10.	Reclamation/Rehabilitation of mined out area	5,00,000/-	30,000/-
		Total		24,75,000	2,20,000/-
		CER			
1.	Kerala Karimannur Block Resource Centre (Physiotherapy Room, Occupational Therapy room, Study Material, Mobility Aids, Sensory room, Speech Therapy)	11,26,785/-			
14	Validity	Initially for a period of 5 years from the date of execution of the mining lease from the Department of Mining and Geology, as per SO 1807(E) dated 12.04.2022 of MoEF & CC			

2. In in 127th SEAC meeting 28th to 30th April, 2022, the Committee verified the documents submitted by the proponent and found them satisfactory. The nearest built structure is at a distance of 106m. The Committee discussed the field inspection report and recommended EC with a project life of 6 years subject to the following Specific Conditions in addition to the General Conditions

1. Measures incorporated in the CER should be implemented in total during the first two years and it should be operated and maintained during the subsequent years till the mine closure plan is implemented in total.
2. The garland drain and outflow channel should be provided with intermittent silt traps
3. The garland drain along with silt traps, siltation ponds and outflow channel should be desilted periodically to avoid obstruction of overland flow and geotagged photo of the same should be uploaded in the Half Yearly Compliance Report (HYCR).
4. The Green belt development in the buffer should be done in the first year of the project itself and it should be nurtured and maintained in subsequent years.

3. In the 114th SEIAA Meeting 25th, 26th May and 1st June 2022, the Authority decided to issue EC initially for a period of 5 years for the quantity mentioned in the approved Mining Plan and extend the EC period to cover Project Life of 6 years, from the date of issuance of original EC, subject to the review by SEAC at the end of five years, to verify whether the Project Proponent has violated any EC conditions and thereby caused any damage to the environment in the project region by violating EC conditions.

The EC is subject to General Conditions and the following Additional Specific Conditions.

1. *The proponent shall carry out quarrying as per the approved Mining Plan and the proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.*
2. *The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the lease order should be provided to the SEIAA before commencing the mining activity.*
3. *Measures incorporated in the CER should be implemented in total during the first two years and it should be operated and maintained during the subsequent years till the mine closure plan is implemented in total.*
4. *The garland drain and outflow channel should be provided with intermittent silt traps*
5. *The garland drain along with silt traps, siltation ponds and outflow channel should be desilted periodically to avoid obstruction of overland flow and*

geotagged photo of the same should be uploaded in the Half Yearly Compliance Report (HYCR).

- 6. The Green belt development in the buffer should be done in the first year of the project itself and it should be nurtured and maintained in subsequent years.*
- 7. As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the project Proponent shall prepare an Environment Management Plan (EMP) as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, indicating both physical and financial targets year wise. The EMP shall be implemented in consultation with local self Govt. Institutions. The indicated cost for CER shall be 2% of the project cost depending upon the nature of activities proposed. The follow up action on implementation of CER shall be included in the Half Yearly Compliance Report which will be subjected to field inspection at regular intervals. A copy of the approved EMP shall be made available to the concerned Panchayat for information and implementation support.*
- 8. In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife.*
- 9. As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16th January 2020 issued by MoEF & CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.*

10. *The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986.*

4. Environmental Clearance as per the EIA Notification, 2006 is hereby accorded for the Granite Building Stone Quarry Project of Sri. Anshad E.P, Managing Partner of M/s Seas Rock Products, Building No. KPV/88A, Mulappuram P.O. Karimannoor, Idukki District-685581 for an area of 1.5163 Ha in Survey No 426/3,426/4,426/5 in Neyyassery Village, Thodupuzha Taluk, Idukki District, Kerala, initially for a period of 5 years from the date of execution of valid mining lease from the Department of Mining and Geology, as per SO 1807(E) dated 12.04.2022 of MoEF & CC, for the quantity mentioned in the approved Mining Plan and extend the EC period to cover Project Life of 6 years, from the date of issuance of original EC, subject to the review by SEAC at the end of five years, to verify whether the Project Proponent has violated any EC conditions and thereby caused any damage to the environment in the project region by violating EC conditions, subject to the Specific Conditions in Para 3 above, and all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I, EMP, PFR and Mining Plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of this Proceedings as if incorporated herein. Also the General Conditions for projects stipulated for mining (items 1 to 57), mentioned below will be applicable and have to be strictly adhered to.

5. The Environmental Clearance issued will also be subject to full and effective implementation of all the undertakings given in the Application Form, mitigation measures as assured in the Environment Management Plan and the mining features including Progressive Mine Closure Plan as submitted with the application. The above undertakings and the conditions and the undertakings in (Mining), (Blasting), (Mines Drainage), (Stacking of Mineral rejects and Disposal of waste), (Environment Management Plan) & (Progressive Mine Closure Plan) of the Mining Plan as submitted will be deemed to be part of this Proceedings as conditions as undertaken by the proponent, as if incorporated herein.

6. Validity of the Environmental Clearance will be initially for a period of Five (5) years from the date of execution of valid mine lease from Mining & Geology Department as per SO 1807(E) dated 12.04.2022 of MoEF & CC, subject to earlier review of EC in case of violation

or non-compliance of conditions or genuine complaints from residents within the security area of the quarry. The extension of the EC will be considered as mentioned in para (4) above.

7. Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the Regional Office of the Ministry of Environment, Forest & Climate Change, Govt. of India, Bangalore. Necessary assistance for entry and inspection should be provided by the Project Proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring. Instances of violation if any shall be reported to the District Collector, Idukki.

8. The Half Yearly Compliance Report (HYCRs) with its contents, covering letter, compliance report and environmental monitoring data have to be uploaded in the PARIVESH portal and the website of the project proponent. The HYCR with the name of the project, EC No and date & the period of submission should be sent to the Regional Office of MoEF & CC & to SEIAA by email only at email ID rosz.bng-mefcc@gov.in & seacseiaakerala@gmail.com, respectively. Hardcopy of HYCRs shall not be acceptable.

9. The given address for correspondence with the authorised signatory of the project is Sri. Anshad E.P, Managing Partner of M/s Seas Rock Products, Building No. KPV/88A, Mulappuram P.O. Karimannoor, Idukki District-685581.

GENERAL CONDITIONS

1. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.
2. All the statutory clearances should be obtained, as applicable, by the project proponent from the respective competent authorities including that for blasting and storage of explosives. Copies of all statutory clearances shall be submitted along with First Half Yearly Compliance Report.
3. The project proponent should advertise in news papers that the project has been accorded Environmental Clearance and copies of clearance letters are available in the Office of State Environment Impact Assessment Authority (SEIAA) and on the website of the Authority at www.seiaakerala.in. The

advertisement should be in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language. The advertisement should be made within 10 days from the date of receipt of the Environmental Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.

4. The proponent shall send a copy of the EC to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The Environmental Clearance shall also be uploaded on the website of the company.
5. The lease area shall be fenced with barbed wire to a minimum height of 4ft around, before starting mining. All the boundary indicators (boards, markings, etc) shall be conspicuous and maintained at all times.
6. The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.
7. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department. Mats to reduce fly rock blasts to a maximum of 10 PPV should be provided.
8. Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged stipulated by Explosive Department.
9. Access roads to the quarry shall be black topped to contain dust emissions that may arise during transportation of materials. The transportation of minerals should be done in covered trucks to contain dust emissions.
10. A separate Environmental Management Cell (EMC) with suitable qualified personnel should be set-up under the chairmanship of a Senior Executive, who will report directly to the Head of the Organization. The Cell should have representative of Biodiversity Management Committee of the Panchayath and a representative of NGO, if any active in the area. The EMC should meet at least once in six months and review the activities and minutes

should be a part of the compliance report.

11. Quarrying has to be carried out as per approved mining plan with the suggestions from SEAC incorporated and following KMMC rules 2015 and the Amendments thereby.
12. The quarrying operation shall be restricted between 7 AM and 5PM
13. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.
14. Maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The maximum depth of mining should not be deeper than the local ground water table. No mining operations should be carried out at places having a slope greater than 45°.
15. The height of any bench shall not exceed five meters and breadth shall not be less than the height.
16. The Project proponent shall ensure that no perennial or intermittent natural water course and/or water resources are obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
17. A minimum buffer distance specified as per existing rules and statutory orders shall be maintained from the boundary of the quarry to the nearest dwelling unit or other structures, and from forest boundaries or any other ecologically sensitive and archeologically important areas or the specific distance specified by SEIAA in EC as per the recommendations of SEAC depending on specific local conditions.
18. The proponent should plant seedlings at least 5 times of the loss of trees that has occurred while clearing the land for the project and follow planting measures as suggested by SEAC. Suitable avenue trees should be planted along the sides of the approach road and internal roads and open parking areas, if any. Preference should be given to endemic native and fruit bearing species. Planting in buffer areas should be taken up beforehand. Proper upkeep and maintenance of planted seedlings shall be ensured by the project

proponent.

19. The proponent should ensure that the vegetation in the buffer is retained, maintained and strengthened with additions of native broad leaved plants.
20. Eco-restoration including the closure of mine as per the progressive closure plan and final closure plan shall be done at the cost of the project proponent. This eco-restoration should follow scientific standards available for restoration, full recovery of the original vegetation and improving the resilience of different ecosystems. Overburden materials should be managed within the site and used for reclamation of mined pit as per mine closure plan / specific conditions.
21. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with suitable indigenous plant species, if no other specific condition on reclamation of pit is stipulated in the E.C. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.
22. Control measures on noise and vibration prescribed by KSPCB should be implemented. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.
23. Periodical monitoring of the vibration at specified location (preferably at a distance of 50 m and 100 m) to be conducted and records kept for inspection. This could also form a part of the compliance reports.
24. Speed of trucks entering or leaving the mine site is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.
25. Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standard limit indicated by CPCB/KSPCB.
26. Blasting should be done in a controlled manner using NONEL technique as specified by the regulations of Petroleum and explosive safety organization (GOI) or any other concerned authorized agency. A licensed person should supervise/ control the blasting operations.

27. Measures should be taken for maintaining noise levels below 85 dBA in the work environment.
28. Project proponent should obtain necessary prior permission of the competent authorities for drawing requisite quantity of surface water and ground water for the project.
29. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly compliance reports to SEIAA.
30. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps, to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, and for green belt development etc. The drains shall be regularly desilted and maintained properly, particularly after monsoon.
31. Regular monitoring of ground water level and quality shall be carried out around the mine area during mining operation. If any stage, if it is observed that ground water table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.
32. Garland drains and silt traps are to be provided in the slopes around the core area to channelize storm water. De-silting of Garland canal and silt traps have to be attended on a daily basis. A labour has to be specifically assigned for the purpose. The proponent shall ensure the quality of the discharging storm water as per the General Effluent Discharge Standards of CPCB.
33. In the case of any change(s) in the scope of the project, extent, quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which the E.C was issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority. In the case of transfer of ECs, the matter shall be intimated and get the approval from the Authority as per the existing norms.

34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
35. The top soil, if any, shall be temporarily stored at earmarked place (s) and used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained at 45⁰. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. At critical points, use of geo textile shall be undertaken for stabilization of the dump. Protective wall or gabions should be made around the dump to prevent erosion / flow of sediments during rains. The entire excavated area shall be backfilled.
36. All the mining equipment used in Mining like backhoe loaders and excavators cause pollution and hence shall be serviced regularly & maintained for their efficient functioning and for reducing pollution. Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.
37. All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking centre. Washing of all vehicles shall be inside the lease area. .
38. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution such as haul road, loading and unloading points and transfer points and having high levels of PM₁₀ and PM_{2.5}. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board.
39. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement at project site, parking area, on haul roads, loading and unloading and at transport points should be provided and

- properly maintained.
40. Corporate Environmental Responsibilities (CER) as prescribed by SEIAA/SEAC should be carried out leading to Environmental stability of the Project region. The activities carried out under CER should be a part of the half yearly compliance report. The certificates from the beneficiaries, if the CER part is completed should also be submitted to the State Environment Impact Assessment Authority (SEIAA) along with year wise expenditure.
 41. The project proponent is responsible for implementing all the provisions of labour laws applicable from time to time to quarrying /Mining operations. The workers on the site should be provided with on-site accommodation or facilities at a suitable boarding place, protective equipment such as ear muffs, helmet, etc.
 42. The proponent has to provide insurance protection to the workers in the case of existing mining or provide the affidavit in case of fresh lease before execution of mining lease.
 43. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The report of health surveillance programme should be included in the half yearly compliance reports.
 44. The pits in the abandoned quarries and in the mined area shall be used for activities like water harvesting, aqua culture etc. in an eco friendly manner.
 45. If Government land is partly or fully used for mining, the area shall be returned at the end of lease period after mine closure with separate demarcation with suitable survey marks.
 46. Any accident occurring in the mined out area after the lease period due to negligence in carrying out safety measures and non-closure , will lead to suspension of all EC obtained for mining by the Proponent.
 47. In case of transfer of EC the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.
 48. The proponent shall submit Half Yearly Compliance Reports (1st of June & 1st of December) on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail)

and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall be simultaneously sent to the respective Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India and also to the Office of State Environment Impact Assessment Authority (SEIAA). The proponent has to submit Environmental statement in form V of Environment (Protection) Rules 1986 to SPCB on 31st March every year.

49. The project authorities should extend full cooperation to the officer (s) from the Regional Office of MOEF & CC located at Bangalore/SEAC/SPCB/CPCB/dept of Mining and Geology, while monitoring compliance of the stipulated conditions, by furnishing the requisite data/information/monitoring reports.
50. The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.
51. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environment Clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
52. The EC given will be withdrawn at any time if the area is declared high hazardous by the SDMA.
53. The Environmental Clearance will be subject to the final order of the courts on any pending litigation related to the land or project, in any court of law.
54. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
55. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

56. The SEIAA may revoke or suspend the order, for non implementation of any of the specific or any of the above conditions. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
57. As per regulation no. 106(2) of metalliferous mines regulation under Mine act, the height of any bench shall not exceed six meters and breadth shall not be less than the height.

Sd/-
Administrator, SEIAA
For Member Secretary, SEIAA

To,

Sri. Anshad E.P,
Managing Partner M/s Seas Rock Products
Reg.No-45556/2016,
Building No.KPV/88A,
Mulappuram P.O
Karimannoor,
Idukki -685581

Copy to,


1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.(through e-mail: rosz.bng-mefcc@gov.in)
2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala
3. The Director, Directorate of Environment & Climate Change, 4th Floor KSRTC Bus Terminal, Thampanoor, Thiruvananthapuram, Kerala 695001.
4. The District Collector, Idukki
5. The Director, Mining & Geology, Thiruvananthapuram -4.
6. The Member Secretary, Kerala State Pollution Control Board
7. The District Geologist, Idukki
8. The Tahsildhar, Thodupuzha Taluk, Idukki District
9. The Secretary, Karimannoor Grama Panchayath, Thodupuzha Taluk, Idukki
10. The Chairman, SEIAA.
11. Website.
12. S/f
13. O/c

Signature Not Verified
Digitally signed by Dr. Venu V I/
Member Secretary
Date: 7/20/2022 3:03:04 PM

ANNEXURE 02
Quarrying Lease

20

Duplicate of No: 768/1/2023




I have satisfied myself that this doc has been
 a stamp duty of Rs: 150480/- (Rupees one lakh fifty
 thousand four hundred and eighty only as that of
 the original document. Produced herewith this
 14th day of March 2023

കേരളം KERALA




FORM H
(See Rule 43)
QUARRYING LEASE

This deed of lease made on this the.....^{6th}..... day of ...March...2023....
 between the Governor of Kerala (hereinafter referred to as the "State
 Government" which expression shall, where the context so admits
 be deemed to include his successors and assigns) of the one part
 and **M/s. Seas Rock Products, Reg. No. 45556/2016, Building
 No. KPV/88A, Mulappuram P.O., Karimannoor, Idukki
 District- 685 581 (Represented by its Managing Partner, Sri.
 Anshad E.P.)** (Aadhar No. 3367 7232 8353) (hereinafter called the
 "lessee/ lessees" which expression shall where the context so admits,
 include his/their heirs, executors, administrators, representatives
 and permitted assigns) of the other part.

Lessor 
Dr. V. SUNIL KUMAR
 (PEN - 316836)
GEOLOGIST
MINING & GEOLOGY DEPT.
GOVT. OF KERALA

Lessee Anshad. E.P.
Anshad

No. 50035 Date 4/3/2023
 Sold to Seas Rocks Products
Managing Partner
Anshad E.P. mulappuram P.O.


M. ARUN
 For M. K. Murali
 Stamp Vendor
 14th MAR 2023



Witnesseth that in consideration of the rents and royalties and lessee's/ Lessees' covenants, hereinafter reserved and contained the State Government hereby give on lease to the lessee/lessees the land measuring **1.5163** hectares described in the schedule hereunder and delineated on the plan hereto annexed and therein coloured red (hereinafter called the "said lands") to hold the same for a period of **6 (six)** years commencing from the ...*6th March 2023*..... and ending on the *5th March 2029*.. for the purposes of extracting minor mineral/minerals and subject to the terms and conditions contained in the Kerala Minor Mineral Concession Rules, 2015 (hereinafter referred to as "the Rules") and to the terms and conditions hereinafter appearing.

1. The lessee/lessees shall have the right in and upon the said lands to extract **Granite Building Stone** (herein after called the said mineral/minerals) and to do all acts necessary for the extraction of the said mineral/minerals including the erection on the said lands, buildings and plant required for the purposes and also to take lead and carry away over the said lands and to dispose of the said minerals extracted as aforesaid.
2. The lessee/lessees shall during the subsistence of this lease have the liberty to work the said mineral/minerals and remove the same from the leasehold on permits issued by the State Government/ competent authority or any other officer authorised by him in this regard. The permits shall be issued only on the basis of pre-paid royalty at the rates specified in Schedule I to these Rules. The royalty rates shall be subject to revision from time to time as the State Government may order.
3. The lessee/lessees shall pay to the State Government a yearly surface rent equal to the land revenue if any, assessable under the rules for the time being in force, or if the land be the property of Government or in reserve forest then equal to the land revenue plus cess, if any, per hectare of the land the surface whereof shall be occupied or used by the lessee/lessees for any of the purposes of this deed and so in proportion for any area less than one hectare. The said surface rent shall be paid by yearly payments; the first of such payments to be made on or before the last day of the first year of occupation provided always that no such rent shall be paid or demanded in respect of any roads or ways now in existence.


Lessor


[Signature]
Dr. V. SUNIL KUMAR
(PEN - 316838)
GEOLOGIST
MINING & GEOLOGY DEPT.
GOVT. OF KERALA

Lessee

Anshad. E.P.
[Signature]

4. The lessee/lessees shall at all times during the currency of this lease keep correct and intelligible books of account showing accurately the quantity of the said minerals extracted and the weight and value of the said mineral sold or exported together with the names of the purchasers or consignees. The lessee shall also maintain a register of employees showing therein separately men, women employed daily and shall at reasonable times allow the competent authority appointed under the rules (hereinafter referred to as "competent authority") or the officer authorised by him to examine the said books of account and the register of employees and to take copies and extracts there from. The lessee/lessees shall submit reports in Forms F and G on the specified dates.
5. All sums found due under or by virtue of this deed from the lessee/ lessees may be recovered from him jointly and severally from them and his/their properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue or in any other manner as the State Government may deem fit.
6. The lessee/lessees shall at the lessee's/lessees' own expense erect and at all times maintain and keep in repair boundary marks and pillars along the boundaries of the said lands according to the demarcation shown in the plan here to annexed.
7. The lessee shall not carry on or allow to be carried on any quarrying operations at or to any points within a distance of 100 meters from any railway line except with the previous written permission of the railway administration concerned and any bridge on National Highway or 50 meters from any reservoir, tanks, canals, rivers, bridges public roads, other public works, residential buildings, the boundary walls of places of worship, burial grounds or burning ghats or one kilometer from the boundaries of National Park or Wildlife Sanctuaries except with the previous permission of the authorities concerned or the Government or competent authority: Provided that the railway administration or the state Government or any other authority in this behalf may in granting such permission impose such other conditions as may be found proper and necessary.

Lessor 
6/5/12
Dr. V. SUNIL KUMAR
(PEN - 316838)
GEOLOGIST
MINING & GEOLOGY DEPT.
GOVT. OF KERALA

Lessee 
Anshad

8. The sides of open workings shall be sloped, stepped or secured by the lessee in such a manner as to prevent slope failure, when an open working is worked in steps, steps shall be of sufficient breadth in relation to their height to secure safety. In open workings trees liable to fall and all loose ground and material shall be removed by the lessee sufficiently far from the edge or otherwise made source in order to prevent danger to persons employed in the quarry.
9. If a working place is found to be unsafe all persons shall be withdrawn by the lessee/lessees immediately from the dangerous area and all access to such working place except for the purpose of removing the danger of saving life shall be prevented by securely fencing the full width of all entrances to the place.
10. The lessee/lessees shall at all reasonable times allow any officer authorised by the Central Government or by the State Government in that behalf to inspect the said lands and the buildings and plants erected thereon and the lessee/lessees shall assist such persons in conducting the inspection and afford them all information they may reasonably require, and shall conform to and observe all orders which the Central and State Governments as the result of such inspection or otherwise, may from time to time pass.
11. The lessee shall be responsible for implementing the provisions of the various labour laws applicable, from time to time, to the quarry.
12. The lessee/lessees shall not assign or underlet the said lands or any part thereof or the rights or privileges, therein hereby granted or any of them without the previous permission in writing of the State Government/competent authority.
13. Where the lease or any right, title or interest therein has been assigned, sublet or transferred as provided in rule 45 read with condition 12, then the person in whose favour such assignment, sublease or transfer has been made shall be responsible for implementing the provisions of the various labour laws applicable, from time to time, to the quarry.

Lessor *M/S G/S/14*
Dr. V. SUNIL KUMAR
(PEN - 316838)
GEOLOGIST
MINING & GEOLOGY DEPT.
GOVT. OF KERALA

Lessee

Anshad. E.P.
Anshad

14. The lease may be surrendered by the lessee/lessees at any time after 3 months notice in writing to the State Government/competent authority: Provided that the lessee/lessees has/have paid all sums due on account of the lease: Provided further that if the lessee/lessees elects/elect to determine this lease before the expiry of the term of the lease, shall pay in addition to other dues a sum equal to the dead rent payable for the remaining part of the term of the lease deed.
15. If the lessee/lessees shall be desirous of taking a further lease of the said lands for a further term, he/they shall give three months' previous notice in writing of such desire to the State Government/competent authority and if the lessee/lessees has/have duly observed all the conditions of this lease, the State Government/competent authority may agree to renew the lease for such further term and on such terms and conditions as the State Government/competent authority may determine which shall be in accordance with the provisions of these rules.
16. If the lessee/lessees shall at any time during the said term use the said lands or any part thereof in any manner other than as authorized by this lease or fail to carry on quarrying operations continuously without sufficient cause of which the State Government/competent authority shall be the judge or shall commit a breach of any of the conditions of this lease it shall be lawful for the State Government/competent authority to cancel this lease and take possession of the said lands or the alternative to receive from the lessee/lessees such penalty not exceeding Rs. 25,000/- (Rupees Twenty Five Thousand only) for the breach as the State Government/competent authority may fix.
17. If at the expiration of three calendar months after the expiry of the lease or its sooner determination, there shall remain in or the said lands, any engines, machinery, plant buildings, structures and other works erections and conveniences, the said minerals or other property which the lessee is/lessees are entitled to remove from the said lands, the same shall, if not removed by the lessee/lessees within one calendar month after notice in writing requiring their removal be given to the lessee/lessees by the State Government/competent authority be deemed to become the property of the State Government in such manner as they may

Lessor

[Signature]
V. SUNIL KUMAR
(PEN - 316838)
GEOLOGIST
MINING & GEOLOGY DEPT.
GOVT. OF KERALA

Lessee

Anshad . E . P.
[Signature]

deem fit without liability to pay any compensation or to account to the lessee/lessees in respect thereof.

18. This lease subject to all rules and regulations which may from time to time be issued by the State Government regulating the working of the quarries and other matters affecting safety, health and convenience of the lessee's/lessees' employees or of the public, whether under the Indian Mines Act or otherwise.
19. The lessee/lessees shall without delay send to the District Collector and the competent authority or the officer authorised by him in this regard report of any accident causing loss of life or serious bodily injuries or seriously affecting or endangering life or property which may at any time occur at or in the said lands in the course of operations under this lease.
20. The lessee/lessees shall furnish such reports and returns relating to output, labourers employed and other matters as the State Government may prescribe.
21. The lessee/lessees shall make and pay such reasonable compensation as may be assessed by lawful authority in accordance with the law in force on the subject for all damage, injury or disturbance which may be done by him/them in exercise of the powers granted by this lease and shall indemnify and shall keep indemnified fully and completely the State Government against all claims which may be made by any person or persons in respect of any such damage, injury or disturbance and all costs and expenses in connection therewith.
22. Any condition prescribed in the Kerala Minor Mineral Concession Rules, 2015 but left out in this lease which may be found applicable to the lessee/lessees shall be treated as binding on the lessee/lessees.
23. In this case, the anticipated royalty to be remitted for the mineral extracted per year at the present rate of royalty of Rs. 24/- per ton with proposed average annual production of 77,718 metric ton is Rs. 18,65,232/- (Rupees Eighteen lakh Sixty Five Thousand Two Hundred and Thirty Two only) and may enhance the quantity of production and period of lease with the prior

Lessor *MS*
Dr. V. SUNIL KUMAR
(PEN - 316838)
GEOLOGIST
MINING & GEOLOGY DEPT.
GOVT. OF KERALA

Lessee

Anshul . E.P.


Anshul

147

Fc 11004/17

STATE : KERALA
 DISTRICT : IDUKKI
 TALUK : THODUPUZHA
 VILLAGE : NEYYASSERI

SURVEY MAP - NEYYASSERI VILLAGE, QUARRY OWNED BY M/s SEAS ROCK PRODUCTS



Dr. V. Sunil Kumar
 Dr. V. SUNIL KUMAR
 (PEN - 316838)
 GEOLOGIST
 MINING & GEOLOGY DEPT.
 GOVT. OF KERALA

- LEASE BOUNDARY
- SURVEY BOUNDARY, DOCUMENT BOUNDARY'S ROAD
- BUFFER ZONE WIDTH 7.5 M
- MINING AREA
- TOTAL QUARRY AREA

GPS READING		
BOUNDARY PILLAR	LATITUDE	LONGITUDE
BP1	9°58'44.88"N	76°47'55.18"E
BP2	9°58'47.88"N	76°47'58.97"E
BP3	9°58'46.00"N	76°47'50.51"E
BP4	9°58'44.08"N	76°47'50.70"E
BP5	9°58'42.10"N	76°47'51.97"E
BP6	9°58'43.30"N	76°47'52.91"E
BP7	9°58'43.84"N	76°47'54.64"E
BP8	9°58'44.18"N	76°47'55.88"E

Details of Property									
SRO KARIKKODE									
PLAN MARK	T.P. NO.	DOC.No.	SY.No.	OLD Sy.No.	TOTAL LAND AREA	UN USED BALANCE AREA	BUFFER ZONE AREA	MINING AREA	TOTAL
1	819	8178/2004	438/4	1284/1-4	0.8070 H		0.1818 H	0.6252 H	0.8070
2	819	8178/2004	438/6	1284/1-4	0.4178 H		0.0887 H	0.3291 H	0.4178
3	819	8178/2004	438/5	1284/1-4	1.2265 H	0.9887 H	0.1169 H	0.1769 H	0.2918
TOTAL					2.4508 H	0.9887 H	0.3888 H	1.1574 H	1.5163

Scale 1cm = 20 m

Land Owner

CONNAMA W/o C.M SKARIYA,
 MULAPPURAM KARAYIL, CHERUKUNNEL.

27/6/17

Submit before The Mining and Geology Department

ANNEXURE 03
Explosive License

अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति
Licence to possess : (e) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SE/KL/22/303(E114021)

वार्षिक फीस रूपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Shri E.P.Anshad, Managing Partner (अधिभोगी / Occupier : Shri E.P.Anshad), M/s.Seas Rock Products, Bldg. No.KPV/88A,
Mulappuram P.O.,Neyyassery., Town,Village - Neyyassery, District-IDUKKI, State-Kerala, Pincode - 685581



को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : **Partnership Firm**

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमाम्य है।
Licence is valid only for the following purpose

possess for use of **Nitrate Mixture, Safety Fuse, Ordinary/Electric/Non Electric Detonators**, - के उपयोग के लिए

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमाम्य है।
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	500 Kg.
2.	Safety Fuse	6,1	0	2000 Mtrs
3.	Ordinary/Electric/Non Electric Detonators	6,3	0	7500 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (e)] :

10 times
as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।
The licensed premises shall conform to the following drawing(s) :

रेखाचित्र क्र. (Drawing No.) E/SE/KL/22/303(E114021)
दिनांक (Dated) 24/11/2020

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 426/2, Block No.38 (TP No.817) , ग्राम (Town/Village) Neyyassery, Thodupuzha
पुलिस थाना (Police Station) : Karimannoor

जिला (District)	IDUKKI	राज्य (State)	Kerala	पिनकोड (Pincode)	685581
दूरभाष (Phone)	04844032294	ई.मेल (E-Mail)	anshadthodupuzha@gmail.com	फैक्स (Fax)	

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।
The licensed premises consist of following facilities:

2 portable magazines of "A Type "bearing SI No:041 & "B Type"bearing serial No: 039
fabricated by M/s.Everest Granites, Ernakulam

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबद्धों के अधीन रहते हुए अनुदत्त की जाती है।
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञप्ति प्राधिकारी व्दासरा हस्ताक्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2025 तक विधिमाम्य रहेगी। This licence shall remain valid till 31st day of March 2025.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 24/11/2020

Sd/-
उप मुख्य विस्फोटक नियंत्रक | Dy. Chief Controller of Explosives
Ernakulam

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 02/06/2023
- Amendment in Drawings/Facilities/Premises dated : 08/01/2024
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 08/01/2024
- Amendment in Drawings/Facilities/Premises dated : 09/02/2024
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 09/02/2024

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख
Date of Renewal

समाप्ति की तारीख
Date of Expiry

अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प
Signature of licensing authority and stamp

24/01/2025

31/03/2030

Dy. Chief Controller of Explosives, Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

Digitally signed by Deepak Kumar
Reason: Licence No : E/SE/KL/22/303
Location Ernakulam [E114021]
Date 24-01-2025 13:43:34 PM



GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION(PESO)
(Formerly Department of Explosives)
Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037
Tele: 2427286 Fax: 2427276
Email: dycceernakulam@explosives.gov.in

No:E/SE/KL/22/303(E114021)

Dated : 24/11/2020

To,
Shri E.P.Anshad, Managing Partner,
M/s.Seas Rock Products, Bldg. No.KPV/88A, Mulappuram P.O.,Neyyassery.
Town/Village - Neyyassery
Distt. IDUKKI, State. Kerala, Pincode-685581

Subject: Possession for Use of Explosives from magazine at Survey No.:426/2, Block No.38 (TP No.817), Village/Town. Neyyassery, Thodupuzha, Distt. IDUKKI, State Kerala Licence No.: E/SE/KL/22/303(E114021) granted in Form LE-3 of Explosives Rules, 2008 -Endorsement regarding

Sir(s),

Reference memo No.: E/SE/KL/22/303(E114021) Dated 24/11/2020 from Dy. Chief Controller of Explosives, Ernakulam and inspection of the subject premises by an officer of this organization on 14/11/2020.

The subject licence No. E/SE/KL/22/303(E114021) valid upto 31st March 2025 duly endorsed as required under Rule 107(3) of the Explosives Rules 2008 is forwarded herewith.

For further renewal of licence, please submit following documents so as to reach this office on or before 31/03/2025.

- Application in Form RE-1 duly filled in and signed.
- Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- Original licence with approved plan.
- In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office.(Not applicable for fireworks store house)
- Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter.(Not applicable for fireworks store house)
- All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

Yours faithfully,

(Dr. P. K. Rana)

Controller of Explosives
For Dy. Chief Controller of Explosives
Ernakulam

Copy Forwarded to:

अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)


(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine


अनुज्ञप्ति सं. (Licence No.) : E/SE/KL/22/303(E114021)

वार्षिक फीस रूपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to


C.C.E. Emakulam
म. वि. नि. एरनाकुलम

Shri E.P.Anshad, Managing Partner (अधिभोगी / Occupier : Shri E.P.Anshad), M/s.Seas Rock Products, Bldg. No.KPV/88A, Mulappuram P.O.,Neyyassery., Town/Village - Neyyassery, District-IDUKKI, State-Kerala, Pincode - 685581



को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : Partnership Firm

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।

possess for use of Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators के उपयोग के लिए

Licence is valid only for the following purpose.

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. सं. Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	100 Kg.
2.	Safety Fuse	6,1	0	2000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	5000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] :

3 times
as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।

The licensed premises shall conform to the following drawing(s): .

रेखाचित्र क्र. (Drawing No.) E/SE/KL/22/303 : (E114021)

दिनांक (Dated) 24/11/2020

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 426/2, Block No.38 (TP No.817) , ग्राम (Town/Village) : Neyyassery, Thodupuzha पुलिस थाना (Police Station) : Karimnannoor जिला (District) IDUKKI राज्य (State) Kerala पिनकोड (Pincode)685581 दूरभाष (Phone)04844032294ई. मेल (E-Mail)anshadthodupuzha@gmail.com फेक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

2 portable magazines of B & D types bearing : Nos.039 & 062 respectively fabricated by M/s.Everest Granites, Ernakulam

The licensed premises consist of following facilities.

8. अनुज्ञप्ति समय – समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबद्धों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the

(सेट VIII | Set VIII)

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SE/KL/22/303(E114021) की शर्तें निम्नलिखित हैं।

The following are the conditions of licence number E/SE/KL/22/303(E114021) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.


- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या ओजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तोलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके : परंतु -
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थापन के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।
Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लीअसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचों, शैल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचे, शैल्फें और फिटिंग यथासाध्य ग्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाधेकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।

A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
21. अनुज्ञापिधारी और कर्मचारियों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यकतः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञापिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञापिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञापिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी.(सी) पी.के. प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log₁₀ (N) dB, where N = number of crackers joined together.
26. आग या विस्फोट व्दारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञापिधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा
I The licensee shall not exhibit, possess and sell fireworks of foreign origin.



कृते उप मुख् विस्फोटक नियंत्रक
For Dy. Chief Controller of Explosives
उप मुख् विस्फोटक नियंत्रक
Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकेजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
21. अनुज्ञप्तिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञप्तिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञाप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञप्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग₁₀(एन) डी.बी.(सी) पी.के. प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log₁₀ (N) dB, where N = number of crackers joined together.
26. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञप्तिधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा।
The licensee shall not exhibit, possess and sell fireworks of foreign origin.



कृते उप मुख्य विस्फोटक नियंत्रक
For Dy. Chief Controller of Explosives
उप मुख्य विस्फोटक नियंत्रक
Deputy Chief Controller of Explosives
एरणाकुलम Ernakulam

A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
21. अनुज्ञप्तिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञप्तिधारक को अनुज्ञत परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञप्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list, authorised explosives from a licensed factory or company for possession and sale from the magazine.
25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के. प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(A1) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log₁₀ (N) dB, where N = number of crackers joined together.
26. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञप्तिधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा
I The licensee shall not exhibit, possess and sell fireworks of foreign origin.


कृते उप मुख्य विस्फोटक नियंत्रक
For Dy. Chief Controller of Explosives
उप मुख्य विस्फोटक नियंत्रक
Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam



भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)

पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives

केन्द्रीय भवन, ब्लॉक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor

CSEZ पी.ओ.कक्कनाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037

फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या (No.): E/SE/KL/22/303(E114021)

दिनांक (Date): 24/11/2020

ज्ञापन | Memorandum

विषय : Survey No.426/2, Block No.38 (TP No.817), ग्राम Neyyassery, Thodupuzha, जिला IDUKKI, राज्य Kerala में मेसर्स Shri E.P.Anshad, Managing Partner द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SE/KL/22/303(E114021) - अनुज्ञप्ति जारी करने के संदर्भ में।

Subject: Possession for Use of Explosives in a magazine situated at Survey No.:426/2, Block No.38 (TP No.817), Neyyassery, Thodupuzha, Distt. IDUKKI, State. Kerala of Shri E.P.Anshad, Managing Partner Licence No : E/SE/KL/22/303 (E114021) granted in Form LE-3 of Explosives Rules, 2008 - Issue of Licence regarding

मेसर्स Shri E.P.Anshad, Managing Partner, M/s.Seas Rock Products, Bldg. No.KPV/88A, Mulappuram P.O.,Neyyassery., Neyyassery, Distt. IDUKKI, State. Kerala को दिनांक 31 मार्च 2025 को समाप्त समयावधी के लिए जारी Survey No.:426/2, Block No.38 (TP No.817), Neyyassery, Thodupuzha, IDUKKI, Kerala स्थित मैगजीन 0000 0000000000 00 000000 00000 000000 00 0000 00000 अनुज्ञप्ति संख्यां E/SE/KL/22/303(E114021) की दो प्रतियां इस कार्यालय को प्रेषित की जा रही है। अनुरोध है कि यदि वे इस बात से संतुष्ट हैं कि अनुज्ञप्ति में दी गई सभी शर्तों का अनुपालन हुआ है, जैसा कि विस्फोटक नियम, 2008 के नियम 107(3) के अंतर्गत आवश्यक है, तो अनुज्ञप्ति की मूल प्रति पृष्ठांकित करें और जिला राजस्व अधिकारी, District Magistrate, IDUKKI, Kerala को सूचित करते हुए अनुज्ञप्ति सीधे अनुज्ञप्तिधारी को अर्पणित करें और अनुज्ञप्ति की एक प्रति कार्यालय रिकार्ड हेतु रखें। तथापि, यदि वे अनुज्ञप्ति पृष्ठांकित नहीं करने का निर्णय लेते हैं तो तुरंत कारण बताते हुए अनुज्ञप्ति को तीन महीनों के भीतर इस कार्यालय को लौटा दें।

Two copies of Licence No.: E/SE/KL/22/303(E114021) granted to Shri E.P.Anshad, Managing Partner, M/s.Seas Rock Products, Bldg. No.KPV/88A, Mulappuram P.O.,Neyyassery., Neyyassery, Distt. IDUKKI, State. Kerala for the period ending 31st March 2025 to Possess for Use Explosives from their magazine situated at Survey No.:426/2, Block No.38 (TP No.817), Neyyassery, Thodupuzha, IDUKKI, Kerala are forwarded herewith to this office with the request that if he is satisfied that all the conditions prescribed in the licence have been complied with, the original copy of the same may be endorsed as required under rule 107(3) of the Explosives Rules, 2008 and forwarded to the licensee directly with an intimation to the District Magistrate, IDUKKI, Kerala and this office, retaining the other copy of the licence for his office record. However, if he decides not to endorse the licence, he should immediately return the same to this office together with a statement of his reasons for not endorsing the licence, not later than three months.

(आर.वेणुगोपाल | Dr. R.Venugopal)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

उप मुख्य विस्फोटक नियंत्रक
Ernakulam
Deputy Chief Controller of Explosives
Ernakulam

सेवा में | To,

इस कार्यालय

this office

प्रतिलोपे प्रेषित | Copy Forwarded to:


- Shri E.P.Anshad, Managing Partner, M/s.Seas Rock Products, Bldg. No.KPV/88A, Mulappuram P.O.,Neyyassery., Neyyassery - 685581, Distt. IDUKKI, State. Kerala उनके दिनांक 24/02/2020 के आवेदन के संदर्भ में। With reference to their application dated 24/02/2020. INTIMATION REGARDING QUARRYING OPERATIONS AS PER LETTER OF INTENT NO LOI NO.3789/M3/2018 DATED 10/05/2018 FROM THE DIRECTOR, DIRECTORATE OF MINING & GEOLOGY, THIRUVANANTHAPURAM AT SURVEY NOS.426/3,426/4,426/5 OF NEYYASSERI VILLAGE, THODUPUZHA TALUK, IDUKKI DISTRICT IS ACKNOWLEDGED HEREWITH. QUARRYING SHALL BE STARTED USING EXPLOSIVES ONLY AFTER GRANT OF QUARRYING LEASE FROM THE DIRECTOR OF MINING & GEOLOGY. PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF DGMS, BANGALORE AS REQUIRED UNDER MINES ACT 1952 AND METALIFEROUS MINES REGULATIONS 1961. जब तक संगठन के अधिकारी द्वारा

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SE/KL/22/303(E114021) in form LE-3 granted to Shri E.P.Anshad, Managing Partner, M/s.Seas Rock Products, Bldg. No.KPV/88A, Mulappuram P.O.,Neyyassery., Kerala-685581 .

Type of Structure(s)	Safety distances meters	
Inside Safety Distances(ISD)		
	M	UM
1 Room or Workshop used in Connection with the Magazine	11	17
2 Any other Explosives Magazine or store House or Factory of the Applicant		
3 Magazine Office		
Middle Safety Distances(MSD)		
4 Magazine Keeper's or Chowkidar's Dwelling house		
5 Railway including Minerals and Private Railways		
6 Canal (in active use) or other navigable water		
7 Dock or Pier or Jetty		
8 Public Highway or Public Road		33
9 Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10 River Embankment or Sea Embankment or Public Well		
11 Reservoir or Bounded tank/rope way		
12 Windmillor or Solar panel for Power Generation		
Outside Safety Distances(OSD)		
13 Dwelling House		
14 Govt. and Public Building		
15 Temple, Mosque, Church or Gurudwara or other Places of Worships		
16 Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17 Factory		
18 Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		45
19 Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		
20 Aerodrome		
21 Furnace, Kiln or Chimney		
22 Quarry or mine pit head		
23 Power House or Electric Substation		
24 Wireless Station		
25 Warehouse or other Storage Building		
26 Any other Protected works		
Overhead Electric lines		
27 Electric Power over head Transmission Lines above 440V		45
28 Electric Power over head Transmission Lines upto 440V		15

The Date : 24/11/2020


 For Dy. Chief Controller of Explosives
 ഉപ മുഖ്യ വിസ്ഫോടക നിയന്ത്രി
 Deputy Chief Controller of Explosives
 എറണാകുളം Ernakulam

अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)


(ग) उपयोग के लिए एक समय पर वर्ग 1, 2, 3, 4, 5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति
Licence to possess : (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SE/KL/22/303(E114021)

वार्षिक फीस रूपए (Annual Fee Rs) 2400/-

1. Licence is hereby granted to

Shri E.P.Anshad, Managing Partner (अधिभोगी / Occupier : Shri E.P.Anshad), M/s. Seas Rock Products, Bldg. No.KPV/88A, Mulappuram P.O.,Neyyassery, Town/Village - Neyyassery, District-IDUKKI, State-Kerala, Pincode - 685581



को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee **Partnership Firm**

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।
Licence is valid only for the following purpose

possess for use of **Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators, -** के उपयोग के लिए

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	100 Kg.
2.	Safety Fuse	6,1	0	2000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	5000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] :

8 times as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।
The licensed premises shall conform to the following drawing(s) :

रेखाचित्र क्र. (Drawing No.) E/SE/KL/22/303(E114021)

दिनांक (Dated) 18/04/2023

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित है। The licensed premises are situated at following address:

Survey No. 426/2, Block No.38 (TP No.817), ग्राम (Town/Village) Neyyassery, Thodupuzha पुलिस थाना (Police Station) : Karimannoor

जिला (District)	IDUKKI	राज्य (State)	Kerala	पिनकोड (Pincode)	685581
दूरभाष (Phone)	04844032294	ई-मेल (E-Mail)	anshadthodupuzha@gmail.com	फैक्स (Fax)	

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।
The licensed premises consist of following facilities.

2 portable magazines of B & D types bearing Nos.039 & 062 respectively fabricated by M/s.Everest Granites, Ernakulam

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2004 framed there under and the conditions, additional conditions and the following Annexures.

- उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.
- दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2025 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2025.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 24/11/2020

उप मुख्य विस्फोटक नियंत्रक | **Dy. Chief Controller of Explosives Ernakulam**

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 18/04/2023

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीनीकरण की तारीख
Date of Renewal

समाप्ति की तारीख
Date of Expiry

अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प
Signature of licensing authority and stamp

**कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.**

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

ANNEXURE 04
Panchayat License



കരിമണ്ണർ ഗ്രാമപഞ്ചായത്തിൽ നിന്നും
 1994ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും
 അതേ തുടർനുള്ള ചട്ടങ്ങളും അനുസരിച്ച്
 ഫാക്ടറികൾ, വ്യോപാരങ്ങൾ, സംരംഭങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

നമ്പർ : 200-400556/RPTL19/GPO/2022/1899

തീയതി : 01.12.2022

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	അൻഷാദ് ഇ.പി, മാനേജിംഗ് പാർട്നർ, സീസ് റോക്ക് പ്രൊഡക്ട്സ്, മുളപ്പുറം 9447526471	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	സീസ് റോക്ക് പ്രൊഡക്ട്സ്, മുളപ്പുറം	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	ക്വാറി നടത്തുന്നതിന്	
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	5 സരേവ്വ നമ്പർ 426/3, 426/4, 426/5	
ലൈസൻസ് കാലയളവ്	01-12-2022 മുതൽ 31-03-2027 വരെ	
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	25000 /- രൂപ	രസീത് നം: 1220103488 തീയതി: 01-12-2022
തൊഴിൽക്കരം	12500 /- രൂപ	രസീത് നം: 1220103489 തീയതി: 01-12-2022
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപപത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരസ്ഥാനം)	(1).Kerala State Pollution Control Board Consent to Operate validity 30.06.2027 (2).Explosive License (Form No LE-3) validity 31.03.2025 (3).PESO License Certificate No E/SE/KL/22/303(E114021) Validity 31.03.2025 (4).Environmental Clearance EC22B001KL110134	

Document certified by AUGUSTINE V A
 AUGUSTINEVARICKAKAL@GMAIL.COM
 Digitally signed by AUGUSTINE V A
 Date: 2022.12.01 15:33:42 IST
 Reason: ILGMS Govt. of Kerala

ANNEXURE 05
Consent from KSPCB

FILE NO : KSPCB/ID/ICO/10008088/2022

Date of Issue : 01-08-2022



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO

OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974

The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

As per Application No. : 10008088

Dated : 22-07-2022

To

SEAS ROCK PRODUCTS

BUILDING NO. KPV/88A,,MULAPPURAM P.O.,KARIMANNOOR,,IDUKKI, PIN-686 501

Consent No. : KSPCB/ID/ICO/10008088/2022

Valid Upto : 30-06-2027

GENERAL

This integrated consent is granted subject to the power of the Board to withdraw consent, revise or make variation in or revoke all or any of the conditions as the Board deems fit

1	VALIDITY	30-06-2027
2	Name and Address of the establishment	SEAS ROCK PRODUCTS BUILDING NO. KPV/88A,,MULAPPURAM P.O.,KARIMANNOOR,,IDUKKI,PIN:685585
3	Occupier Details	ANSHAD E P ENTHUNKAL HOUSE, THODUPUZHA EAST THODUPUZHA, KARIKKODE(PART) THODUPUZHA EAST, IDUKKI PIN:685585
4	Local Body	KARIMANNOR
5	Survey Number	426/3,426/4,426/5
6	Village	Neyyasseri
7	Taluk	Thodupuzha
8	District	IDUKKI
9	Capital Investment(Rs in Lakhs)	175.0
10	Scale	Small
11	Category	RED
12	Annual fee(Rs)	25000.0
	Total Fee remitted(Rs)	162500.0
13	Activity	Raw material : Rock Per Year: 77718.0 Metric Tonnes Product : Stone Aggregates Per Year: 77718 Metric Tonnes
14	Machinery details	EXCAVATOR WITH BREAKER (5nos.) - (183.5 HP) 925 HP BOX COMPRESSOR (1no.) - 86.1 HP JACK HAMMER (5nos.) - (5*62.5) = 312.5HP TOTAL - 1323.6HP

SPECIFIC CONDITIONS CONDITIONS AS PER

The Water (Prevention and Control of Pollution) Act, 1974

2.1. In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.

2.2. Water consumption: 3000 LPD

2.3. Effluent generation: 2400 LPD

2.4. Mode of disposal of treated effluent: SEPTIC TANK

3. CONDITIONS AS PER

The Air (Prevention and Control of Pollution) Act, 1981

3.1. Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.

4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001.

4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

4.4 E-waste shall be disposed off safely as per the E-Waste (Management) Rules, 2016.

5. SPECIFIC CONDITIONS

5.1. This consent is granted based on the Environmental Clearance 62/Q/22 dated 20/07/2022 for an area of 1.5163Ha in in Re-Survey No 426/3, 426/4, 426/5 in Neyyassery Village, Thodupuzha Taluk, Idukki District, Kerala. The quarrying shall be done after obtaining all statutory/necessary clearances from concerned authorities and is valid only when all other clearances from other concerned authorities are in place.

5.2. For renewal of the consent in case of continuance of operation of the quarry, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management.

- Monitoring System 2 months prior to the date of expiry. Late application will be accepted only with
- 5.3. The consent issued from the board is only with respect to the powers vested under the water Act 1974, Air Act 1981 and The Rules there under. The operation of the quarry shall be commenced only after obtaining clearances from all concerned Authorities.
- 5.4. There shall not be any quarrying activity between 6 pm to 6 am
- 5.5. Mining activities shall be done only in the area marked by Mining & Geology.
- 5.6. There shall be a minimum distance of 50 m from boundary of quarry operating area to residential buildings, place of worship, public buildings, public road having vehicular traffic, river or lake, rail way and bridges etc.
- 5.7. The PM10 in ambient air at the boundary shall not exceed 100 microgram/m³
- 5.8. The PM 2.5 in ambient air at the boundary shall not exceed 60 microgram/m³
- 5.9. The sound level (Leq) at 1 m outside the boundary of the site should not exceed the ambient noise Standard applicable to the adjoining areas.
- 5.10. Conditions given in the Environmental clearance shall be strictly complied with.
- 5.11. Mining shall be only done as per the mining plan attached with E.C.
- 5.12. Annual environmental statement shall be submitted on or before 31 st March every year
- 5.13. This consent is issued based on the Judgement dated 25/10/2021 of the Hon'ble Supreme Court No:6273/2021 and connected matters, Order dated 14/12/2021 of Hon'ble Supreme Court in MA. No:1904/2021, Judgement dated 10/11/2021 of Hon'ble High Court of Kerala in WP@ 2773/2021 and Judgement dated 10/12/2021 of Hon'ble High Court of Kerala in WP@ 27178/2021.
- 5.14. This consent is issued subject to any order that may be passed by the Hon'ble Supreme Court or Hon'ble NGT in the connected matters.

Digitally signed by P. S. VADAN
Date: 2022.08.01 11:42:01 E


SIGNATURE OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER

F6-11004/17

STATE : KERALA
 DISTRICT : IDUKKI
 TALUK : THODUPUZHA
 VILLAGE : NEYYASSERI

SURVEY MAP - NEYYASSERI VILLAGE, QUARRY OWNED BY M/S SEAS R...



- LEASE BOUNDARY
- SURVEY BOUNDARY, DOCUMENT BOUNDARY ROAD
-
- MINING AREA
- TOTAL QUARRY AREA

(Handwritten signatures and stamps)
 NEYYASSERI VILLAGE OFFICE



(Handwritten signature)
 27/6/1975

GPS READINGS		
BOUNDARY POINT	LATITUDE	LONGITUDE
BP1	8°57'45.80"N	76°47'54.10"E
BP2	8°57'47.80"N	76°47'54.10"E
BP3	8°57'45.00"N	76°47'52.51"E
BP4	8°57'44.80"N	76°47'50.70"E
BP5	8°57'43.10"N	76°47'51.91"E
BP6	8°57'41.20"N	76°47'52.91"E
BP7	8°57'40.50"N	76°47'51.65"E
BP8	8°57'41.20"N	76°47'53.51"E



Details of Property				S/O MARKOSE				Scale 1cm = 20 m	
PLAN NO.	T.P. NO.	DOC. NO.	ST. NO.	TOTAL AREA	LEASE AREA	SUPPORTING AREA	MINING AREA	TOTAL	Local Office
1	819	8178/2004	135-1-4	0.2079 H	0.1113 H	0.0966 H	0.0000 H	0.2079 H	
2	819	8178/2004	135-2-4	0.2176 H	0.0000 H	0.0000 H	0.0000 H	0.2176 H	
3	819	8178/2004	135-3-4	0.2253 H	0.0000 H	0.1110 H	0.1170 H	0.2253 H	
TOTAL				0.6508 H	0.1113 H	0.1176 H	0.1170 H	1.0967 H	

Submit before The Mining and Geology Department
 Scale 1cm = 20 m
 Ponnanna Vito...
 MULLAPURAM...

ANNEXURE 06

Mines Manager Certificate

Cert No. FRE /4880



भारत सरकार/Government of India

खान अधिनियम, 1952/Mines Act, 1952

खनन परीक्षा बोर्ड/Board of Mining Examinations

फोरमैन सक्षमता प्रमाण-पत्र

FOREMAN'S CERTIFICATE OF COMPETENCY

(केवल ओपनकास्ट खानों तक सीमित)

(Restricted to mines having opencast working only)

(धात्विकीय खान विनियम, 1961 के अन्तर्गत)

(Under the Metalliferous Mines Regulations, 1961)

श्री आनंद ना सुपुत्र नारायणसाम्यः अ
जिनकी जन्म तिथि 29.04.1995 है, को विहित अर्हताएं एवं अनुभव प्राप्त करने का सन्तोषजनक प्रमाण प्रस्तुत करने पर एतद्वारा केवल ओपनकास्ट धात्विकीय खानों के लिए फोरमैन सक्षमता प्रमाण-पत्र प्रदान किया जाता है। यह प्रमाण-पत्र दिनांक 14 मार्च 2019 से प्रभावी है।

Shri ANANDH N son of NARAYANASAMY A
born on 29 APRIL 1995 having given satisfactory evidence of possessing the prescribed qualifications and experience is hereby granted FORMAN'S CERTIFICATE OF COMPETENCY for metalliferous mine having opencast workings only. This certificate is effective from 14.03.2019

सचिव
खनन परीक्षा बोर्ड
Secretary
Board of Mining
Examinations

अध्यक्ष
खनन परीक्षा बोर्ड
Chairman
Board of Mining
Examinations

Signed and Sealed

Date 25/05/2021

ANNEXURE 07
Vibration Monitoring Report

TEST REPORT

Test Report No: 250512/R001	Date: 27-05-2026	Page 1 of 1
-----------------------------	------------------	-------------

CUSTOMER DETAILS

Customer Name & Address	Mr. Anshad E.P Managing Partner M/s Seas Rock Products, Building No. KPV/88A, Mulappuram P.O., Karimannoor, Idukki District.
Customer Reference	Test Request Date: 16-05-2026

SAMPLE DETAILS

Product Category	Atmospheric Pollution	Sample Code	250512/S001
Sample Name	Vibration	Monitoring Commenced on	16-05-2026
Sampled by	Lab Authorized Sampler		

SAMPLING SITE DETAILS

Re Survey No.	426/3, 426/4, 426/5		
Village	Neyyassery	Taluk	Thodupuzha
District	Idukki	State	Kerala

TEST RESULTS-CHEMICAL DISCIPLINE

SL NO	LOCATION	RESULT Peak Particle Velocity (mm/s)
1	50m away from the blasting Area (South side)	2.21
2	102m away from the blasting Area (South side)	1.64
3	120 m away from blasting Area (South side)	0.70

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Laiju P.N.
Laboratory Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

Certification: ISO 45001:2018 OHSAS certified laboratory.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. -683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

ANNEXURE 08
Non-El Purchase Bill

(Original)

GSTIN/UIN : 32AATFA7365B1ZI

Explosive Licence No : E/SC/KL/21/244(E124890)

Phone : 0484-4032294, 4032295

Mob : 9207314499, 9207414499, 9207514499

Tele.Fax : 0484-2984499

E-mail : aikkarakudiyiltraders@gmail.com

AIKKARAKUDIYIL TRADERS AND INDUSTRIES

DEALERS IN : HARDWARE ITEMS,PNEUMATIC EQUIPMENTS,SPARE PARTS ITEMS & INDUSTRIAL EXPLOSIVES

ADDRESS: AIKKARAKUDIYIL CHAMBERS, BULIDING No:AP-IV/249-A&B, KIZHUMADANGU,
MEMADANGU.PO,ARAKUZHA (VIA), MOOVATTUPUZHA,ERNAKULAM.DISTRICT, KERALA.STATE.
PIN:686 672, UDYAM REGISTRATION NUMBER: UDYAM-KL-02-0019970, GSTIN/UIN :32AATFA7365B1ZI

INVOICE No: 26-27/0512

Date: 27-Apr-26

Name & Address of the Purchaser : E P ANSHAD,SEAS ROCK PRODUCTS , V/88-A,426/3,426/4,426/5, KARIMANNOOR,
Mulappuram P.O, Idukki

GSTIN/UIN : 32ADEF0995D1Z7

Mob No:

Consignee Explosive. Magazine Lic No: E/SE/KL/22/303(E114021)

Despatch Through Vehicle No: KL40V6386

Van Explosive Lic.No: E/SE/KL/25/133 (E157327)

Delivery Site :

Sl. No	Commodity Item	HSN	G-ST %	Unit Price	Qty	Gross Value	Cash Dis.	Net Value	CGST	SGST	Total
1	APEXCEL - NONELS(608-DEK(400/BOX))- 4 Mtr	36030051	18	67.80/nos	800	54,240.00		54,240.00	4,881.60	4,881.60	64,003.20
	ROUND OFF										(-)0.20
					TOTAL	800		54,240.00	4,881.60	4,881.60	64,003.00

GRAND TOTAL IN WORDS: INR Sixty Four Thousand Three Only

E&OE

Declaration : We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

Conditions :



For AIKKARAKUDIYIL TRADERS AND INDUSTRIES

Authorised Signatory

IRN : 2cadac2574923de118d92d733b699f16b00574-5be89c494be32ce33632cd058e

Ack No. : 152625526009519

Ack Date : 27-Apr-26


This is a Computer Generated Document

e-Way Bill

e-Way Bill

Doc No. : Tax Invoice - 26-27/0512
Date : 27-Apr-26

IRN : 2cadac2574923de118d92d733b699f16b005745be89c494be32ce33632cd058e
Ack No. : 152625526009519
Ack Date : 27-Apr-26

**1. e-Way Bill Details**

e-Way Bill No. : 511995297312 Mode : 1 - Road Generated Date : 27-Apr-26 5:08 PM
Generated By : 32AATFA7365B1ZI Approx Distance : 29 KM Valid Upto : 28-Apr-26 11:59 PM
Supply Type : Outward-Supply Transaction Type : Regular

2. Address Details**From**

AIKKARAKUDIYIL TRADERS AND INDUSTRIES
GSTIN : 32AATFA7365B1ZI
Kerala

To

E P ANSHAD, SEAS ROCK PRODUCTS
GSTIN : 32ADEF0995D1Z7
Kerala

Dispatch From

AIKKARAKUDIYIL CHAMBERS, BULIDING No:AP-IV/249
-A&B, KIZHUMADANGU, MEMADANGU.PO, ARAKUZHA
(VIA), MOOVATTUPUZHA, ERNAKULAM.DISTRICT,

Ship To

V/88-A, 426/3, 426/4, 426/5, KARIMANNOOR, Mulappuram
P.O, Idukki KARIMANNOOR, Kerala 685581

3. Goods Details

HSN Code	Product Name & Desc	Quantity	Taxable Amt	Tax Rate (C+S)
36030051	APEXCEL - NONELS(608-DEK(400/BOX))- 4 Mtr & Detonators	800 NOS	54,240.00	9+9

Tot. Taxable Amt : 54,240.00 Other Amt : (-)0.20 Total Inv Amt : 64,003.00
CGST Amt : 4,881.60 SGST Amt : 4,881.60

4. Transportation Details

Transporter ID : Doc No. : 26-27/0512
Name : Date : 27-Apr-26

5. Vehicle Details

Vehicle No. : KL40V6386 From : Aarakkuzha CEWB No. :

ANNEXURE 09
Air Quality monitoring Report

TEST REPORT

ULR No: TC129392600014887F		
LRI No: SEAAL26052659A	Date: 27-05-2026	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Anshad E P Managing Partner M/s Seas Rock Products, Building No.KPV/88A,Mulappuram P O, Karimannoor, Idukki District.
Customer Reference	Test Request date: 23-05-2026

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN26051248
Sample Name	Ambient Air	Sample Received on	24-05-2026
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	25-05-2026
Sampled by	Lab Authorized Sampler	Test Completed on	27-05-2026

DETAILS OF SAMPLING			
Sampling Location	SE	Date of Sampling	23-05-2026
Sampling Procedure	SEAAL/CHL /SOP/7.3/02	Humidity	68 %

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	426/3,426/4,426/5		
Village	Neyyassery	Taluk	Thodupuzha
District	Idukki	State	Kerala

TEST RESULTS - CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	55.2	100 (Max)
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	22.7	60 (Max)
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2/Sec-1): 2023	µg/m ³	<4.00	80 (Max)
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	<4.00	80 (Max)

Remarks:

End of Report


Shency Joy
TM - Chemical
 Checked by


Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC129392600014888F		
LRI No: SEAAL26052660A	Date: 27-05-2026	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Anshad E P Managing Partner M/s Seas Rock Products, Building No.KPV/88A,Mulappuram P O, Karimannoor, Idukki District.
Customer Reference	Test Request date: 23-05-2026

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN26051249
Sample Name	Ambient Air	Sample Received on	24-05-2026
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	25-05-2026
Sampled by	Lab Authorized Sampler	Test Completed on	27-05-2026

DETAILS OF SAMPLING			
Sampling Location	WSW	Date of Sampling	23-05-2026
Sampling Procedure	SEAAL/CHL /SOP/7.3/02	Humidity	68 %

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	426/3,426/4,426/5		
Village	Neyyassery	Taluk	Thodupuzha
District	Idukki	State	Kerala

TEST RESULTS - CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	59.4	100 (Max)
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	23.9	60 (Max)
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2/Sec-1): 2023	µg/m ³	<4.00	80 (Max)
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	<4.00	80 (Max)

Remarks:

End of Report


Shency Joy
TM - Chemical
 Checked by


Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293926000014889F		
LRI No: SEAAL26052661A	Date: 27-05-2026	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Anshad E P Managing Partner M/s Seas Rock Products, Building No.KPV/88A,Mulappuram P O, Karimannoor, Idukki District.
Customer Reference	Test Request date: 23-05-2026

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN26051250
Sample Name	Ambient Air	Sample Received on	24-05-2026
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	25-05-2026
Sampled by	Lab Authorized Sampler	Test Completed on	27-05-2026

DETAILS OF SAMPLING			
Sampling Location	NNE	Date of Sampling	23-05-2026
Sampling Procedure	SEAAL/CHL /SOP/7.3/02	Humidity	68 %

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	426/3,426/4,426/5		
Village	Neyyassery	Taluk	Thodupuzha
District	Idukki	State	Kerala

TEST RESULTS - CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	50.1	100 (Max)
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	20.2	60 (Max)
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2/Sec-1): 2023	µg/m ³	<4.00	80 (Max)
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	<4.00	80 (Max)

Remarks:

End of Report


Shency Joy
TM - Chemical
 Checked by


Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

ANNEXURE 10
Noise level Monitoring Report

TEST REPORT

ULR No: TC1293926000014890F		
LRI No: SEAAL26052662A	Date: 27-05-2026	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Anshad E P Managing Partner M/s Seas Rock Products, Building No.KPV/88A,Mulappuram P O, Karimannoor, Idukki District.
Customer Reference	Test Request date: 23-05-2026

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN26051251
Sample Name	Ambient Noise	Monitoring Commenced on	23-05-2026
Monitoring Location	SE	Monitoring Completed on	24-05-2026
Test Method	IS 9989:1981	Sampled by	Lab Authorized Sampler

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	426/3,426/4,426/5		
Village	Neyyassery	Village	Thodupuzha
District	Idukki	District	Kerala

MONITORING RESULTS					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	38.3	14:00	51.4	22:00	39.3
07:00	41.1	15:00	51.7	23:00	38.2
08:00	45.4	16:00	52.9	24:00	39.7
09:00	49.0	17:00	53.3	01:00	37.8
10:00	51.4	18:00	47.8	02:00	37.4
11:00	54.5	19:00	44.2	03:00	39.0
12:00	51.7	20:00	40.3	04:00	39.7
13:00	51.0	21:00	39.8	05:00	41.6

TEST RESULTS - CHEMICAL DISCIPLINE			
Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	51.9
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	40.7

Remarks:

End of Report


Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
 Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293926000014891F		
LRI No: SEAAL26052663A	Date: 27-05-2026	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Anshad E P Managing Partner M/s Seas Rock Products, Building No.KPV/88A,Mulappuram P O, Karimannoor, Idukki District.
Customer Reference	Test Request date: 23-05-2026

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN26051252
Sample Name	Ambient Noise	Monitoring Commenced on	23-05-2026
Monitoring Location	WSW	Monitoring Completed on	24-05-2026
Test Method	IS 9989:1981	Sampled by	Lab Authorized Sampler

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	426/3,426/4,426/5		
Village	Neyyassery	Village	Thodupuzha
District	Idukki	District	Kerala

MONITORING RESULTS					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	37.8	14:00	50.7	22:00	39.0
07:00	40.6	15:00	51.1	23:00	37.9
08:00	44.9	16:00	52.3	24:00	39.4
09:00	48.4	17:00	52.7	01:00	37.5
10:00	50.7	18:00	47.2	02:00	37.1
11:00	53.8	19:00	43.7	03:00	38.7
12:00	51.1	20:00	39.8	04:00	39.4
13:00	50.3	21:00	39.3	05:00	41.3

TEST RESULTS - CHEMICAL DISCIPLINE			
Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	51.2
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	40.3

Remarks:

End of Report


Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293926000014892F		
LRI No: SEAAL26052664A	Date: 27-05-2026	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Anshad E P Managing Partner M/s Seas Rock Products, Building No.KPV/88A,Mulappuram P O, Karimannoor, Idukki District.
Customer Reference	Test Request date: 23-05-2026

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN26051253
Sample Name	Ambient Noise	Monitoring Commenced on	23-05-2026
Monitoring Location	NNE	Monitoring Completed on	24-05-2026
Test Method	IS 9989:1981	Sampled by	Lab Authorized Sampler

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	426/3,426/4,426/5		
Village	Neyyassery	Village	Thodupuzha
District	Idukki	District	Kerala

MONITORING RESULTS					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	38.2	14:00	51.2	22:00	40.5
07:00	41.0	15:00	51.6	23:00	39.3
08:00	45.3	16:00	52.8	24:00	40.9
09:00	48.9	17:00	53.2	01:00	38.9
10:00	51.2	18:00	47.7	02:00	38.5
11:00	54.4	19:00	44.1	03:00	40.1
12:00	51.6	20:00	40.2	04:00	40.9
13:00	50.8	21:00	39.7	05:00	42.8

TEST RESULTS - CHEMICAL DISCIPLINE			
Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	51.7
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	41.8

Remarks:

End of Report


Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories
 Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

ANNEXURE 11
Ground Water Quality Report

TEST REPORT

ULR No.: TC1293926000014893F

LRI No.: SEAAL26052665A

Date: 27-05-2026

Page 1 of 2

CUSTOMER DETAILS

Customer Name & Address	Mr. Anshad E P Managing Partner M/s Seas Rock Products, Building No.KPV/88A,Mulappuram P O, Karimannoor, Idukki District.
Customer Reference	Test Request Date: 23-05-2026

SAMPLE DETAILS

Product Category	Water	Sample Code	WT26050901
Sample Name	Ground Water	Sample Received on	24-05-2026
Sample Description by Customer	Open Well Water	Temperature @ Receipt	4°C
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	25-05-2026
Sample Quantity& Packing	2 L & 125 ml in a Plastic Bottle	Test Completed on	27-05-2026
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS

Re Survey No	426/3,426/4,426/5		
Village	Neyyassery	Taluk	Thodupuzha
District	Idukki	State	Kerala

DETAILS OF SAMPLING


Sample Source	Open Well	Date of Sampling	23-05-2026
Sampling Procedure	SEAAL/QAD/SOP/7.3/01	Sample Temperature	27°C

TEST RESULTS- CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
1	Colour	IS 3025 (Part 4): 2021	Hazen	1	5 (Max)
2	Odour	IS 3025 (Part 5): 2018	---	Agreeable	Agreeable
3	Turbidity	IS 3025 (Part 10): 2023	NTU	<0.10	1.0 (Max)



Shency Joy
TM - Chemical
Checked by

Remya B.
TM-Biological
Authorized Signatory



Ramar R.
Technical Head
Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. -683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: sealab@gmail.com

TEST REPORT

ULR No.: TC1293926000014893F

LRI No.: SEAAL26052665A

Date: 27-05-2026

Page 2 of 2

TEST RESULTS- CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
4	pH @ 25°C	IS 3025 (Part 11): 2022	---	6.68	6.50-8.50
5	Conductivity	IS 3025 (Part 14): 2013	µS/cm	126	---
6	Total Dissolved Solids @ 180°C	IS 3025 (Part 16): 2023	mg/L	69.2	500 (Max)
7	Total Hardness as CaCO ₃	IS 3025(Part 21): 2009	mg/L	30.0	200 (Max)
8	Calcium as Ca	IS 3025 (Part 40): 2024	mg/L	8.00	75 (Max)
9	Magnesium as Mg	IS 3025 (Part 46): 2023	mg/L	2.44	30 (Max)
10	Chloride as Cl	IS 3025 (Part 32): 2025	mg/L	13.0	250 (Max)
11	Total Alkalinity as CaCO ₃	IS 3025 (Part 23): 2023	mg/L	9.90	200 (Max)
12	Iron as Fe	IS 3025 (Part 53): 2024	mg/L	0.11	1 (Max)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1): 2022	mg/L	<1.00	200 (Max)

TEST RESULTS - BIOLOGICAL DISCIPLINE


Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 :2012
1	Total Coliform Bacteria	IS 15185: 2016	----	Absent/100 ml	Absent/100 ml
2	<i>E.coli</i>	IS 15185: 2016	----	Absent/100 ml	Absent/100 ml

Remarks:

End of Report



Shency Joy
TM - Chemical
Checked by

Remya B.
TM-Biological
Authorized Signatory



Ramar R.
Technical Head
Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. -683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

ANNEXURE 12
PUC Certificates of Vehicles

[See rules 115 (2)]

Pollution Under Control CertificateAuthorised By :
GOVERNMENT OF KERALADate : 08/09/2025
Time : 11:32:17 AM
Validity upto : 07/03/2026Certificate SL. No. : KL03800020049980
Registration No. : KL05G1071
Date of Registration : 06/Aug/1998
Month & Year of Manufacturing : -1997
Valid Mobile Number : *****3083
Emission Norms : BHARAT STAGE I
Fuel : DIESEL
PUC Code : KL0380002
GSTIN :
Fees : Rs. 110.00
MIL observation : NoVehicle Photo with Registration plate
60 mm x 30 mm

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.64

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>Authorised Signature with stamp of PUC Operator
60mm x 20 mmFor
ROYAL POLLUTION TESTING CENTRE
(Govt. Approved)Proprietor PUC Operator
Mob: 9020760068

ANNEXURE 13

Affidavit on EC Conditions

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100

ONE HUNDRED RUPEES

भारत INDIA

INDIA NON JUDICIAL

കേരളം KERALA

EA 470666

AFFIDAVIT

I Mr. Anshad E.P, Managing Partner of M/s Seas Rock Products Building No. KPV/88A, Mulappuram P.O., Karimannoor, Idukki - 685581 do hereby solemnly affirm and confirm that we have obtained an environmental clearance (Proposal No. SIA/KL/MIN/148361/2020, File No. 1641/EC3/2020/SEIAA, E.C. No. 62/Q/2022 dtd. 20/07/2022) for the extraction of granite building stone for an area of 1.5163 hectare in Re-Survey No. 426/3, 426/4, 426/5 in Neyyassery Village, Thodupuzha

ANSHAD.E.P. Anshad



George K. John
08/05/2023

GEORGE K. JOHN, M.Sc. LL.B
Kandrichal, ADVOCATE KERALA
& NOTARY (Govt of India Reg. No. 2020)
Thodupuzha, Kerala - 685 584
File No. 1641/EC3/2020/SEIAA

No. 1641
01/5/2023

Anshad E.P.

എ.പി. അഷാദ്
മുഖ്യമന്ത്രിയുടെ കാര്യാലയം
തൃശ്ശൂർ

George K. John



മുഖ്യമന്ത്രിയുടെ കാര്യാലയം
തൃശ്ശൂർ

25 APR 2023

ANNEXURE 14
EMC meeting Minutes

10/12/2025

10/12/2025 ന് ക്വറി ഓഫീസിൽ വച്ച് msm Eme meeting ന്റെ തീരുമാനങ്ങൾ.

1. ക്വറി പരിസരങ്ങളിലെ Warning sign & Display Board ന്റെ നവീകരണം തീരുമാനിച്ചു.
2. ക്വറിയിലെ പരിസരവും വൃത്തിയാക്കണം തീരുമാനിച്ചു.
3. CSR fund ന്റെ വിനിയോഗം വിലയിരുത്തി.
4. Buffer zone ന്റെ ഭൂമിയിൽ മരങ്ങൾ വെട്ടി വിളിച്ചിടലും തീരുമാനിച്ചു.
5. First aid Box ന്റെ ക്രമീകരണ പരിശോധനയും നിർദ്ദേശിച്ചു.

ജനറൽ മാനേജർ

1. Anshad E.P Head of the Eme Anshad
2. Anand N - Mines Manager Anand
3. Eby Mathan - Supervisor Eby
4. Anilkumar R. - Anil

03/03/2026.

2026 മാർച്ച് 3-10 തീയതി ക്യാമ്പ് ഓഫീസിൽ
വച്ച് mem EMC വീറ്റിംഗിലെ തീരുമാനങ്ങൾ.

1. പ്ലാൻ ഭാഗങ്ങൾ തീരുമാനങ്ങൾ നിലവിലുണ്ട്.
2. ട്രൈബ്യൂണലിലെ Sprinklers ക്ലോസ് ചെയ്യാൻ നോട്ടീസ് നൽകിയിട്ടുണ്ട്.
3. നിലവിൽ വെള്ളം കിട്ടാതെ പോകാൻ ക്ലോസ് ചെയ്യാൻ നോട്ടീസ് നൽകിയിട്ടുണ്ട്.
4. ട്രൈബ്യൂണലിലെ ക്ലോസ് ചെയ്യാൻ ക്ലോസ് ചെയ്യാൻ work site ൽ
കാണിക്കുന്നതിന് ട്രൈബ്യൂണലിലെ നോട്ടീസ് നൽകിയിട്ടുണ്ട്.
5. De siltation tank ൽ slurry നീക്കം ചെയ്യാൻ നോട്ടീസ് നൽകിയിട്ടുണ്ട്.
6. Drainage Canals ൽ Rain water Harvesting Pond ൽ
നോട്ടീസ് നൽകിയിട്ടുണ്ട്.

meeting ൽ പങ്കെടുത്തവർ.

1. Anshad E.P - Head Anshad
2. Anand N - Mines manager Anand
3. Eby Mathai - Supervisor Eby
4. Arum Kumar R. Arum

ANNEXURE 15

CSR Proofs



Office of the Block Project Co-ordinator
 SAMAGRA SHIKSHA KERALA – IDUKKI - KARIMANNOR
 Near GUPS Karimannoor, Karimannoor P.O, Idukki - 685581
 Ph : 04862 256639. Email : bpobrcrkarimannoor@gmail.com

Lr.No.148/BRC/KMNR/2023-24

DATE: 30.11.2023

പ്രേഷിതൻ

ബ്ലോക്ക് പ്രോജക്ട് കോ-ഓർഡിനേറ്റർ
 ബി.ആർ.സി.കരിമണ്ണൂർ

സ്വീകർത്താവ്

ശ്രീ.ഇ.പി.അൻഷാദ്,
 മാനേജിംഗ് പാർട്ടണർ
 സീസ്മോക്ക് പ്രൊഡക്ട്സ്

സാരം,

വിഷയം : കരിമണ്ണൂർ ബ്ലോക്ക് റിസോഴ്സ് സെന്ററിന് കീഴിലുള്ള ഭിന്നശേഷി മേഖലയിലെ വിവിധ കാറ്റഗറിയിൽപ്പെട്ട കുട്ടികൾക്ക് വേണ്ടിയുള്ള ഓട്ടിസം സെന്ററിനുവേണ്ട മെറ്റീരിയൽസ് - സംബന്ധിച്ച്

സൂചന : ബ്ലോക്ക് പ്രോജക്ട് കോ-ഓർഡിനേറ്ററുടെ 05.05.2021 തീയതി നൽകിയ Lr.No.05/BRC/KMNR/SSK/21-22 -ലെ സാക്ഷ്യപത്രം

മേൽ സൂചന പ്രകാരം ഇടുക്കി ജില്ലയിൽ തൊടുപുഴ താലൂക്കിൽ നെയ്യശ്ശേരി വില്ലേജിൽ 426/3,426/4,426/5 എന്നീ സർവ്വേ നമ്പരിൽപ്പെട്ട 1.5163 ഹെക്ടർ സ്ഥലത്ത് തുടങ്ങുവാൻ പോകുന്ന, സീസ്മോക്ക് പ്രൊഡക്ട്സ് എന്ന സ്ഥാപനത്തിന്റെ സി.എസ്.ആർ/സി.ഇ.ആർ.ന്റെ ഭാഗമായി കരിമണ്ണൂർ സമഗ്രശിക്ഷാ കേരള കരിമണ്ണൂർ ബ്ലോക്ക് റിസോഴ്സ് സെന്ററിന് കീഴിലുള്ള ഭിന്നശേഷി മേഖലയിലെ കുട്ടികൾക്കായി പദ്ധതിയിൽ ഉൾപ്പെടുത്തി ഉപകരണങ്ങൾ തരാമെന്ന്, സീസ്മോക്ക് പ്രൊഡക്ട്സ് മാനേജിംഗ് പാർട്ടണർ ശ്രീ.ഇ.പി.അൻഷാദ് രേഖാമൂലം അറിയിച്ചിട്ടുണ്ടായിരുന്നു. എന്നാൽ ആദ്യഘട്ടത്തിൽ സെന്ററിൽ ഫിസിയോതെറാപ്പി, ക്വെഷ്ചേഷണൽ തെറാപ്പി, സ്പീച്ച് തെറാപ്പി എന്നീ പരീശീലനത്തിന് ആവശ്യമായ സാധനങ്ങൾ ത്രിതല പഞ്ചായത്തിൽ നിന്നും എസ്.എസ്.കെ കേരളയിൽ നിന്നും ലഭിച്ച സാഹചര്യത്തിൽ മേൽ സൂചനയിൽ പറഞ്ഞിരുന്ന സാധനങ്ങൾക്ക് പകരം താഴെപ്പറയുന്ന ഉപകരണങ്ങൾ വാങ്ങി നൽകണമെന്ന് അഭ്യർത്ഥിക്കുന്നു.

S/NO	(PHYSIO THERAPY ROOM) Item Name	QTY	Amount
1	PORTABLE A/c	1	31000
2	STAINLESS STEEL WATER COOLER	1	32000
4	PEDESTAL FAN	4	20000
5	STEEL ALAMARAH	1	17000
	TOTAL		100000/-

വിശ്വസ്തതയോടെ



ബ്ലോക്ക് പ്രോജക്ട് കോ-ഓർഡിനേറ്റർ
 ബി.ആർ.സി, കരിമണ്ണൂർ



Original Copy

TAX INVOICE HIGHRANGE HOME APPLIANCES

KGEES BUILDING NO.3/5, OPP CHAZHIKATTU HOSPITAL
THODUPUZZHA-, PH:04862 221444
GSTIN : 32APSPR0620N1ZL

Invoice No. : THO/CRO/0057/B2B	Station : Mulappuram
Dated : 03-01-2024 (10:09 AM)	E-Way Bill No. :
Place of Supply : Kerala (32)	Demo Required : No Required
Reverse Charge : N	EMI PAYMENT DEA:
Salesman Name : SANUMON M D	EMI OPPORTUNITY :
Transport : BY CUSTOMER	Exchange : N
Vehicle No. :	Home Delivery : N

Billed to : SEAS ROCK PRODUCTS V/88-A,426/3,426/4,426/5 SEAS ROCK PRODUCTS, KARIMANNOOR Mulappuram, Kerala, 685581	Shipped to : SEAS ROCK PRODUCTS V/88-A,426/3,426/4,426/5 SEAS ROCK PRODUCTS, KARIMANNOOR Mulappuram, Kerala, 685581
Party Mobile No : 9447526471	Party Mobile No : 9447526471
GSTIN / UIN : 32ADEF0995D1Z7	GSTIN / UIN : 32ADEF0995D1Z7

IRN : efa88bd59814509f2364d818b1db91ec03e05dbb9e05d2167b75f9500e93c22a Ack.No. : 152416694673952 Ack. Date : 03-01-2024

S.N.	Description of Goods	HSR/SAC Code	Qty.	Unit	Price	CGST Rate	CGST Amount	SGST Rate	SGST Amount	Amount(₹)
1.	VOLTAS WC FS 20/40 NP NCW R134a 601049	8418692	1.000	NOS	25,338.98	9.000 %	2,280.51	9.000 %	2,280.51	29,900.00
2.	CROMPTON PF HISPEED GALE CLASSIC BLK	8414511	3.000	NOS	2,542.37	9.000 %	686.44	9.000 %	686.44	9,000.00
3.	V Guard Finesta STS Plus PF	8414512	1.000	NOS	2,542.38	9.000 %	228.81	9.000 %	228.81	3,000.00

41,900.00

Grand Total 5.000 nos ₹ 41,900.00

Tax Rate	Taxable Amt.	CGST Amt.	SGST Amt.	Total Tax
18%	35,508.48	3,195.76	3,195.76	6,391.52

Declaration

Certified that all the particulars shown in the above Invoice are true and correct in all respects and the goods on which the tax charged and collected are in accordance with the provisions of the GST ACT 2017 and the rules made thereunder. It is also certified that my/our Registration under GST Act 2017 is not subject to any suspension/cancellation and is valid as on the date of this Bill.

Bank Details : SBI KATTAPPANA BR. A/C: 40305820849 IFSC: SBIN0070698
FEDERAL BANK, BR. KATTAPPANA A/C: 14265500012052 IFSC: FDRL0001426

Terms & Conditions
E & O.E.
1. Interest @ 18% p.a. will be charged if the payment is not made within the stipulated time.
2. Subject to Kerala Jurisdiction only.



Receiver's Signature : **DELIVERED**

For HIGHRANGE HOME APPLIANCES
Authorised Signatory

നോട്ടീസ് നിലവിലുള്ളതാണ്. ബില്ലിന് നിലവിലുള്ളതാണ്.

This Invoice is generated by Busy Business Accounting Software



Original Copy

TAX INVOICE HIGHRANGE HOME APPLIANCES

KGEES BUILDING NO.3/5, OPP CHAZHIKATTU HOSPITAL
THODUPUZHA-, PH:04862 221444
GSTIN : 32APSPR0620N1ZL

Invoice No. : THO/CRO/0057/B2B	Station : Mulappuram
Dated : 03-01-2024 (10:09 AM)	E-Way Bill No. :
Place of Supply : Kerala (32)	Demo Required : No Required
Reverse Charge : N	EMI PAYMENT DEA:
Salesman Name : SANUMON M D	EMI OPPORTUNITY :
Transport : BY CUSTOMER	Exchange : N
Vehicle No. :	Home Delivery : N

Billed to :
SEAS ROCK PRODUCTS
V/88-A,426/3,426/4,426/5
SEAS ROCK PRODUCTS, KARIMANNOOR
Mulappuram, Kerala, 685581

Shipped to :
SEAS ROCK PRODUCTS
V/88-A,426/3,426/4,426/5
SEAS ROCK PRODUCTS, KARIMANNOOR
Mulappuram, Kerala, 685581

Party Mobile No : 9447526471
GSTIN / UIN : 32ADEF0995D1Z7

Party Mobile No : 9447526471
GSTIN / UIN : 32ADEF0995D1Z7

IRN : efa88bd59814509f2364d818b1db91ec03e05dcb9e05d2167b75f9500e93c22a Ack.No. : 152416694673952 Ack. Date : 03-01-2024

S.N.	Description of Goods	HSN/SAC Code	Qty.	Unit	Price	CGST Rate	CGST Amount	SGST Rate	SGST Amount	Amount(₹)
------	----------------------	--------------	------	------	-------	-----------	-------------	-----------	-------------	-----------

Rupees Forty One Thousand Nine Hundred Only
Party - 41,900.00

Declaration

Certified that all the particulars shown in the above Invoice are true and correct in all respects and the goods on which the tax charged and collected are in accordance with the provisions of the GST ACT 2017 and the rules made thereunder. It is also certified that my/our Registration under GST Act 2017 is not subject to any suspension/cancellation and is valid as on the date of this Bill.

Bank Details : SBI KATTAPPANA BR. A/C: 40305820849 IFSC: SBIN0070698
FEDERAL BANK, BR. KATTAPPANA A/C: 14265500012052 IFSC: FDRL0001426

Terms & Conditions

- E.& O.E.
1. Interest @ 18% p.a. will be charged if the payment is not made within the stipulated time.
2. Subject to 'Kerala' Jurisdiction only.

E-Invoice QR Code



Receiver's Signature :

For HIGHRANGE HOME APPLIANCES



നമ്മുടെ സേവനങ്ങൾക്ക്
നിങ്ങൾക്ക് സന്തോഷം ഉണ്ടാകട്ടെ.

This Invoice is generated by Busy Business Accounting Software

ANN INDUSTRIES

Manufacturers of Steel Furniture
Pala Road, THODUPUZHA, Mob. 9446989151

Original for recipient
Duplicate for supplier/transporter
Triplicate for supplier

TAX INVOICE

GSTIN : 32IRRPS3581L1ZV

Tax is payable on reverse charge : (Yes/No)

Invoice No. **62**

Invoice Date

State Code **32**

Transportation Mode : (Apply for supply of goods only)

Vehicle No. :

Date & Time of supply : **13-1-2024**

Place of supply : **Mulappuram**

Details of Receiver (Billed to)

Details of Consignee (Shipped to)

Name **SFA's Rock**
Address **Mulappuram**
State _____ State Code _____
GSTIN Number **32ADEFS09950127**

Name _____
Address _____
State _____ State Code _____
GSTIN Number _____

Sl. No.	PARTICULARS	HSN Code	UOM	Qty.	Rate	Tax%	AMOUNT
1.	Alsmang	9403		1	16,250	18%	16,250 -

Invoice Value (in words).....	Total	16,250	-
	Discount		
	Totable Value	16,250	-
	SGST....	1462	50
	CGST....	1462	50
	Grand Total	19175	-

BANK DETAILS
Bank of Baroda
Thodupuzha Branch
Bank A/c No.: 81350200000015
IFSC Code :: BARBOVJTHOP

Certified that the Particulars given above are true and correct

TERMS & CONDITIONS OF SALE

Authorised Signatory



The managing partner, Mr. Anshad, handed over the materials to the beneficiary.

No.62/BRC/KMNR/2025-26

DATE: 21.07.2025

പ്രേഷിതൻ

ബ്ലോക്ക് പ്രോജക്ട് കോ-ഓർഡിനേറ്റർ
 ബി.ആർ.സി.കരിമണ്ണൂർ

സ്വീകർത്താവ്

ശ്രീ.ഇ.പി.അൻഷാദ്,
 മാജേഷിംഗ് പാർട്ടണർ
 സീസറോക്ക് പ്രൊഡക്റ്റീസ്


സാർ,

വിഷയം : കരിമണ്ണൂർ ബ്ലോക്ക് റിസോഴ്സ് സെന്ററിന് കീഴിലുള്ള ഭിന്നശേഷി
 മേഖലയിലെ വിവിധ കാറ്റഗറിയിൽപ്പെട്ട കുട്ടികൾക്ക് വേണ്ടിയുള്ള
 ഓട്ടിസം സെന്ററിനുവേണ്ട മെറ്റീരിയൽസ് - സംബന്ധിച്ച്

കരിമണ്ണൂർ ബ്ലോക്ക് റിസോഴ്സ് സെന്ററിന് കീഴിൽ ഭിന്നശേഷി മേഖലയിലെ കുട്ടി
 കൾക്കായി പ്രവർത്തിച്ചു വരുന്ന ഓട്ടിസം സെന്ററിൽ താഴെപ്പറയുന്ന സാധനങ്ങളും പ്രവർത്ത
 നങ്ങളും ചെയ്യേണ്ടതുണ്ട്. താങ്കളുടെ സീസറോക്ക് പ്രൊഡക്റ്റീസ് എന്ന സ്ഥാപനത്തിന്റെ
 സി.എസ്.ആർ/സി.ഇ.ആർ. ഫണ്ട് ഉപയോഗിച്ച് താഴെപ്പറയുന്ന പ്രവർത്തനങ്ങളും സാധന
 ങ്ങളും ലഭ്യമാക്കുന്നതിനുള്ള നടപടി ചെയ്തു തരണമെന്ന് അഭ്യർത്ഥിക്കുന്നു.

Sl.NO	ITEM NAME	QTY	Amount
1	Therapy Room Partition		
2	Curtains (Therapy Centre)		25,156
3	Fan & Electrification		25,155
4	Ceiling (950Sq.feet)		40,400
5	Office chair (big)	1	9000
6	Office chair (small)	4 x 6000	24000
7	Office Table	3 x 7500	22500
8	Study material for Autism centre		22,000
9	Laptop (HP 15,13Gen Intel core i7-1355U)	1	68990
10	Printer (HP MFP 1188W Multi-function WiFi Monochrome Laser Printer)	1	15000
11	KASPERSKY Anti Virus		849
	TOTAL		2,53,050

വിശ്വസ്തതയോടെ,



ബ്ലോക്ക് പ്രോജക്ട് കോ-ഓർഡിനേറ്റർ

ബി.ആർ.സി.കരിമണ്ണൂർ

Block Project C-ordinator
Samagra Shiksha Kerala
BRC Karimannoor



GSTIN : 32ABRFA0850A1Z0

Alankar Furniture Mall

Original for Recipient
 Duplicate for Transporter
 Triplicate for Supplier

MUTHALAKODAM THODUPUZHA
PH : 9447613156,9400495157

INVOICE

Invoice No. : AF/25-26/05 Invoice Date : 29/Jul/2025 State : Kerala State Code : 32	DELIVERY DATE : Pay Mode : Cash
--	--

Details of Receiver Billed to: Customer: SEAS ROCK PRODUCTS KP/88A,MULAPPURAM P.O,KARIMANNOOR,IDUKKI-685581 Ph:9207547777 GSTIN : 32ADEF50995D1Z7	Details of Consignee Shipped to:
--	---

No	Name of Product / Service	HSN Code	UOM	Qty	Rate	Gross Amt.	Disc %	Taxable Value	CGST %	CGST Amt	SGST %	SGST Amt	Total
1	OMEGA OFFICE TABLE OTS01 (SP)	9403	NOS	3	6355.93	19067.80	0	19067.80	9.00	1716.10	9.00	1716.10	22500.00
2	EVERGREEN REVOLVING CHAIR 2026 FG SP (F)	9403	NOS	1	5084.75	5084.75	0	5084.75	9.00	457.63	9.00	457.63	6000.00
3	EVERGREEN REVOLVING MEDIUM CHAIR 0026(P)	9403	NOS	3	5084.75	15254.24	0	15254.24	9.00	1372.88	9.00	1372.88	18000.00
4	EVERGREEN CHAIR 1070 FG	9403	NOS	1	7627.12	7627.12	0	7627.12	9.00	686.44	9.00	686.44	9000.00
				8		47033.90		47033.90		4233.05		4233.05	55500.00

Fifty Five Thousand Five Hundred Rupees Only Round Off :0.00

Bank Details :
BANK NAME : UCO BANK
BRANCH : THODUPUZHA
A/C NUMBER : 31510510001615
IFSC : UCBA 0003151

Cash Discount :0.00

Invoice Discount :0.00
Bill Amount : 55500.00

For ALANKAR FURNITURE MALL



Terms and Conditions :
 Certified that the particulars given above invoice are true and correct

Authorised Signature

TAX INVOICE




MYG INDIA PVT LTD

7247 001 001

6/1081-A, SHANFEER ARCADE, MUVATTUPUZHA ROAD,
THODUPUZHA, IDUKKI, KERALA, 685584.PAN AARCM9133E

MYG : 8943331188 MYG CARE : 8943771188
GSTN : 32AARCM9133E1ZE EMAIL ID : thodupuzha@myg.in
CIN:U95210KL2024PTC086714

IRN - 60e846210ec98b1ef4403d95148fab9366aca3ac020935557d91df0566a48044



Dispatch from : **BRANCH**
Invoice No : **25-I-TDP-3954**
Invoice Date : **29-07-2025**
Invoice Time : **12:01 PM**
State : **Kerala (KL)**
Sales Person : **Jenson P D**

BILLED TO

CUSTOMER NAME : Seas Rock Products
ADDRESS : V/88-A,426/3,426/4,426/5, SEAS ROCK PRODUCTS, KARIMANNOOR, THOMMANKUTH ROAD, Mulappuram, Idukki, Kerala, 685581
MOB NO : 9207547777
GSTN NO : 32ADEF0995D1Z7
STATE : Kerala/KL

SHIPPED TO

Name : Seas Rock Products
Address : V/88-A,426/3,426/4,426/5, SEAS ROCK PRODUCTS, KARIMANNOOR, THOMMANKUTH ROAD, Mulappuram, Idukki, Kerala, 685581
Landmark : Not provided
MOB No : 9207547777
GSTN No : 32ADEF0995D1Z7
State : Kerala/KL

SLNO	ITEM DESCRIPTION/DETAIL	HSN/SAC	UNIT PRICE	QTY	GROSS PRICE	DISCOUNT	BUYBACK	GST %	TAXABLE VALUE
1	15-FD0468TU C17-1355U/16GB/5 12GB SSD/15.6 FHD/Backlit KB/W IN 11+MSO24/SILVER/HP LAPTOP Imei/Batch:-SCD45026PP	8471.30.10	71489.99	1	71489.99	0.00	2501.00	18	58465.25
2	HP SMART TANK 580 MFP PRINT, SCAN,COPY,WIFI PRINTER : PRINTER Imei/Batch:-TH49R8W1JP	8443.31.00	14999.99	1	14999.99	0.00	0.00	18	12711.86
3	KASPERSKY PREMIUM 1 USER 1 YEAR :RIG Imei/Batch:-KPR11-4955354-0108/1	8517.70.90	849.00	1	849.00	0.00	0.00	18	719.49
4	MYG LAPTOP BAG Imei/Batch:-25LBG0003010019	4202.22.90	1.00	1	1.00	0.00	0.00	18	0.85
5	CLOTH CARRY BAG C4E GENERAL STATIONERY Imei/Batch:-STY0035610148	6305.90.00	0.01	1	0.01	0.00	0.00	18	0.01

TOTAL TAXABLE VALUE : 71897.46
(+) CGST 9% : 6470.77
(+) SGST 9% : 6470.77
SUB TOTAL : 84839.00
TOTAL : 84839.00

TOTAL(In words) : Eighty-Four Thousand, Eight Hundred And Thirty-Nine Rupees only.

For MYG INDIA PVT LTD

ADVANCE - 84839.00

മുദ്രിതം : കിരീടം, സത്യത്തിൽ MYG എസ്. ടി.സി.

1

കിരീടം സത്യത്തിൽ കിരീടം സത്യത്തിൽ




KERALA ALUMINIUM CENTRE

KOTHAIKUNNU BYPASS, THODUPUZHA

Ph:9447876362, Mob:, EMail:

TAX INVOICE(B2B) - CASH

GSTIN: 32ATZPA3202G1Z2		Eway Bill No:		Original for Recipient							
PAN: ATZPA3202G				Transportation Mode:							
Tax is Payable on Reverse Charge:		No		Vehicle No:							
Invoice No: A87		PO No:		Date & Time of Supply: 26-Jul-2025							
Invoice Date: 26-Jul-2025		PO Date:		Place of Supply:							
Billed To:				Shipped To:							
Name: SEAS ROCK PRODUCTS				Name: SEAS ROCK PRODUCTS							
Address: KPV/SBA.MULAPPURAM P O KARIMANNOOR				Address: KPV/SBA.MULAPPURAM P O KARIMANNOOR							
Phone:		Mobile:		Phone:		Mobile:					
State: 32-KERALA		PAN:		State: 32-KERALA		PAN:					
GSTIN/UID: 32ADEF50995D1Z7				GSTIN/UID: 32ADEF50995D1Z7							
Sl No	Description of Goods / Service	HSN/SAC	Qty/Uom	Rate	Discount	Net Value	CGST		SGST		Total
							%	Amount	%	Amount	
1	PC 2.5*1.5 DOUBLE SIDE G/B	76042100	15 Nos	720.34		10805.09	9	972.46	9	972.46	12750.01
2	1*1 SQUARE MEDIUM WITHOUT	76042100	20 Nos	211.86		4237.29	9	381.36	9	381.36	5000.00
3	PVC 12" SEALING SHEET TKT D/W	39219029	62 Nos	233.05		14449.15	9	1300.42	9	1300.42	17050.00
4	PVC TKT CORNICE	39219029	40 Nos	118.64		4745.76	9	427.12	9	427.12	5600.00
Round Off											-0.01
Total:			137		0.00	34237.29		3081.36		3081.36	40400.00
E&OE		Rupees Forty Thousand Four Hundred Only									
GST -> @18% : 34237.29 (3081.36,3081.36)							For KERALA ALUMINIUM CENTRE				
Bank Details : Kerala Aluminium Centre, A/C NO: 16940200000130 , IFSC-FDRL0001694											
Certified that the particulars given above are true and correct.											

TOY STORY

TOYS N TRENDS ST. MICHAEL'S ARCADE THENAMKUNNU BYPASS THODUPUZHA
 Ph: 9207547777, Email: toystorytdpa@gmail.com

TAX INVOICE (B2B) - CREDIT

Original for Recipient

GSTIN: 32ADEF509950127		E Way Bill No:		Transportation Mode: Road	
PAN: TEGPS1643H		No:		Vehicle No:	
Tax is Payable on Reverse Charge:		No		Date & Time of Supply: 30/Jul/2025	
Invoice No: A5		PO No:		Place of Supply:	
Invoice Date: 30/Jul/2025		PO Date:		Shipped To:	
Billed To:				Name: SEAS ROCK PRODUCTS	
Name: SEAS ROCK PRODUCTS				Address: KPV/BIA, MULAPPURAM P.O KARIMANNOOR, IDUKKI-685581	
Address: KPV/BIA, MULAPPURAM P.O KARIMANNOOR, IDUKKI-685581				Phone: 9207547777	
Phone: 9207547777				Mobile: 9207547777	
State: 32-KERALA				State: 32-KERALA	
PAN:				PAN:	
GSTIN/UJD: 32ADEF509950127				GSTIN/UJD: 32ADEF509950127	

#	Description of Goods / Service	HSN/SAC	GST %	Qty / Unit	Rate	Discount	Net Value
1	KIDS BULIDER 3 1090	9503	12	1 Nos	973.21	97.32	875.89
2	FS ACTIVITY BALL 499	95030030	12	1 Nos	445.54	44.55	400.99
3	FS STRIKE 499	95030090	12	1 Nos	445.54	44.55	400.99
4	HAMMER BALL 500	9503	12	1 Nos	446.43	44.64	401.79
5	FS STAR LINKS 249	95030030	12	2 Nos	222.32	44.46	400.18
6	NUT N BOLTS 380	95030090	12	1 Nos	339.29	33.93	305.36
7	FS MATCH N LEARN 749	95030030	12	1 Nos	668.75	66.88	601.87
8	LOVELY MAGNETIC SLATE 430	9503	12	1 Nos	383.93	38.39	345.54
9	INTELLI KIDS 450	9503	12	1 Nos	401.79	40.18	361.61
10	JUMP ROPE 160	9506	18	1 Nos	135.59	13.56	122.03
11	RINGTOSS MIX 349	9503	12	1 Nos	311.61	31.16	280.45
12	STRING HOCKEY PLUS 3 IN 1 1350	9503	12	1 Nos	1205.36	120.54	1084.82
13	KINDERGARTEN ROBOT 1196	9503	12	1 Nos	1067.86	106.79	961.07
14	HOOPY LOOPY 349	9503	12	1 Nos	311.61	31.16	280.45
15	FS LEARN N WRITE DELUXE 999	95030030	0	1 Nos	999.00	99.90	899.10
16	PLAY GRO WOODEN PUZZLE 349	9503	12	1 Nos	311.61	31.16	280.45
17	WOODEN FLOOR PUZZLE 320	9504	12	1 Nos	285.71	28.57	257.14
18	EDUCATIONAL MIX 380	4903	12	1 Nos	339.29	33.93	305.36
19	WOODEN PUZZLE 395	9503	12	2 Nos	352.68	70.54	634.82
20	FS RATTLE 149	95030030	12	3 Nos	133.04	39.91	359.21
21	CHITHRAMALA KID 70	4903	0	1 Nos	70.00	7.00	63.00
22	ACTIVITY BOOK 160	49011010	0	1 Nos	160.00	16.00	144.00

Continued to Next Page...

Less Discount:
 Net Value:
 CGST Collected:
 SGST Collected:
 Adnl. Discount:
 Round Off:
Net Amount:

E&OE

Bank Details :

Certified that the particulars given above are true and correct.

Toy Story
 St. Michael's Arcade
 Thenamkundu Bypass
 Thodupuzha-685 584

Authorized Signatory

TOY STORY

TOYS N TRENDS ST. MICHAELS ARCADE TENAMKUNNU BYPASS THODUPUZHA
Ph: , Mob:8594007644, EMail:toystorytdpa@gmail.com

TAX INVOICE(B2B) - CREDIT

Original for Recipient

GSTIN: 32FLGPS1643H1Z3	EWay Bill No:	Transportation Mode: Road
PAN: FLGPS1643H		Vehicle No:
Tax is Payable on Reverse Charge: No		Date & Time of Supply: 30/Jul/2025
Invoice No: A5	PO No:	Place of Supply:
Invoice Date: 30/Jul/2025	PO Date:	Shipped To:

Billed To:		Name: SEAS ROCK PRODUCTS	
Address: KPVP/88A, MULAPPURAM P.O KARIMANNOOR, IDUKKI-685581		Address: KPVP/88A, MULAPPURAM P.O KARIMANNOOR, IDUKKI-685581	
Phone: 9207547777		Mobile: 9207547777	
State: 32-KERALA		PAN:	
GSTIN/UID: 32ADEF50995D1Z7		State: 32-KERALA	

#	Description of Goods / Service	HSN/SAC	GST %	Qty / Unit	Rate	Discount	Net Value
23	BOARD BOOK 190	9503	0	1 Nos	190.00	19.00	171.00
24	BOARD BOOK 210	4903	0	2 Nos	210.00	42.00	378.00
25	LOVELY BOARD BOOKS 90	49011010	0	1 Nos	90.00	9.00	81.00
26	COPY COLOURING BOOK 150	49011010	0	1 Nos	150.00	15.00	135.00
27	BIGFUN KEYBOARD 1299	9503	18	1 Nos	846.61	84.66	761.95
28	SQUEEZY MIX 190	95030090	12	1 Nos	169.64	16.96	152.68
29	FS STAR LINKS 475	9503	12	1 Nos	424.11	42.41	381.70
30	WOODEN JENGA 499	9503	12	1 Nos	445.54	44.55	400.99
31	TUMBLING TOWER 499	9503	12	1 Nos	445.54	44.55	400.99
32	POCKET BOARD BOOK 65	49011010	0	6 Nos	80.00	48.00	52.24
33	LOVELY BOARD BOOKS 80	95030090	12	1 Nos	58.04	5.80	432.00
34	CHICK MATCHING 999	9503	18	1 Nos	891.96	89.20	802.76
35	EDUCATION CARD GAME 399	9503	12	1 Nos	338.14	33.81	304.33
36	NEWTONS TREE 999	95030090	12	1 Nos	891.96	89.20	802.76
37	CLICK & CATCH MIX 285	9503	18	1 Nos	254.46	25.45	229.01
38	PUZZLE BLOCK 625	95030090	12	1 Nos	558.04	55.80	502.24
39	TINI MINI PUZZLE 55	9503	18	2 Nos	46.61	9.32	83.90
40	LITTLE MASTER BOARD 1600	9503	12	1 Nos	1428.57	142.86	1285.71
41	ADJ BASKET BALL 1600	9503	12	1 Nos	1428.57	142.86	1285.71
42	REL BIG FISHING GAME 1799	9003	18	1 Nos	846.61	84.66	761.95
43	CHAIR 800	9003	18	1 Nos	677.97	67.80	610.17
44	CHAIR 660	9003	12	2 Nos	589.29	117.86	1060.72
Sub Total:				56			23158.80

Less Discount:	-2315.87
Net Value:	20842.93
CGST Collected:	1191.72
SGST Collected:	1191.72
Adnl. Discount:	-1226.00
Round Off:	-0.37
Net Amount:	22000.00

Rupees Twenty Two Thousand Only
E&OE
GST -> @12% : 15895.5 (cgst:953.72,sgst:953.72) @18% : 2644.33 (cgst:238,sgst:238)

Toy Story
St. Michael's Arcade
Thenamkunnal Bypass
Thodupuzha - 685 884
Authorized Signatory

Original
J J STORES
KARIMANNOOR, Phone : 9496086097
GSTIN : 32AFOPAB617A1ZX

BILL OF SUPPLY
(Composition Taxable Person Not Eligible to Collect Tax)
CASH/CREDIT

Inv. No : A4427 Date : 28/07/2025
Name : SEAS ROCK PRODUCTS
Address : MULAPPURAM, KARIMANNOR
State : Kerala, State Code : 32
GSTIN : 32ADEF0995D127
MOB : 9207547777

#	HSN Code	Particulars	Qty	MoU	Rate	Amount
1	84145120	KULIRMA CIELING FAN	9	NOS	2690.00	24210.00
2	84149090	SWITCH TYPE REGULATOR 194 CARR	3	NOS	20.00	60.00
3	8531	INDICATOR 47 VINAY	3	NOS	35.00	105.00
4	84149090	SOCKET TYPE REGULATOR 80 KENTO	6	NOS	40.00	240.00
5	8544	WIRE	30	NOS	18.00	540.00
						25155.00
Gross Value :						25155.00
Total Value W1						25155.00 W0

Twenty Five Thousand One Hundred and Fifty Five Rupees Only

DECLARATION
Certified that the particulars given above are true and correct

J.J. STORES
KARIMANNOOR - 685 581
PH - 94 960 860 97

J J STORES
Authorised Signatory

CREATIVE CURTAINS

MANGAT IUKAVALA, THODUPUZHA

Ph:9447826849, Mob:9495337276, EMail:

GSTIN : 32BGTPG4657D1ZD

PAN : BGTPG4657D

TAX INVOICE(B2B) - CASH		Original/Duplicate/Triplicate	
Name: SEAS ROCK PRODUCTS		Inv. No: A57	
Address: KPV/88A, MULAPPURAM KARIMANOOR ,IDUKKI		Inv. Date: 29-Jul-2025	
Phone:		Veh. No:	
Mobile: 9207547777		Sup.Place:	
GSTIN/UID: 32ADEF50995D1Z7		State: KERALA	
		Code: 32	

Sl No	Description of Goods / Service	HSN/SAC	GST %	Qty/Uom	Rate	Disc%	Net Value
1	LONG CRUSH DYED[P.S]49	6005	5	116 Mtr	109.52		12704.32
2	EYELET RING	3925	18	8 Pkt	186.44		1491.52
3	PVC WASHER 0.32	3925	18	800 Nos	0.42		336.00
4	SS PIPE 15	7306	18	9 Nos	398.31		3584.79
5	S/SUP.16X2.5X3.5" MATT STELL (0931)	8302	18	36 pcs	21.19		762.84
6	WOODARTKECT	4421	12	36 Nos	75.89		2732.04
7	1429 MODE TAPE 180G GRAM 10 HOLE	5806	5	3 Nos	466.67		1400.01
Sub Total:							23011.52
Less Discount:							0.00
Net Value:							23011.52
CGST:							1072.30
SGST:							1072.30
Round Off:							-0.12
Total:				1008			25156.00

Rupees Twenty Five Thousand One Hundred and Fifty Six Only

E&OE

GST -> @5% : 14104.33 (352.61,352.61) @12% : 2732.04 (163.92,163.92) @18%

8

Bank Details :

Certified that the particulars given above are true and correct.





The managing partner, Mr. Anshad, and partner Mr. Sageer handed over the materials to the beneficiary.